

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





Wholesale Catalogue

Thomas Meehan & Sons, Inc.

WHOLESALE NURSERYMEN

275 ACRES

DRESHER, Montgomery County, PENNSYLVANIA

TRADE LIST

Fall, 1908

N preparing this, our Trade List for Fall, 1908, we have aimed to present our large collection of Hardy Ornamentals to the purchaser in the most concise form. With this object in mind and in view of the fact that it is intended for the trade, illustrations and descriptions have been purposely omitted.

Customers are requested to state the mode of conveyance by which they desire their trees forwarded. When no route is named we forward to the best of our judgment.

Responsibility -After goods are placed on board cars here we assume no responsibility for their safe or prompt delivery, or any injury caused by delay in delivery by the transportation company.

All Claims MUST BE MADE UPON RECEIPT OF GOODS.

Terms Cash, on or before delivery to express or railroad agents, unless by special arrangement.

Any quantity will be furnished at the rate quoted per 100, but single plants of one or more varieties will not be sold at less than 15 cents each net, except Vines and Herbaceous Plants, the minimum net price of which will be 10 cents each net.

Packing Charged Extra, but only sufficient to cover cost of time and material consumed in the work.

Post Office Orders payable at Dresher P.O., Montgomery Co, Pa. Postal Telegraph Office, Dresher, Pa.

Visitors are always welcome and should take train at the Reading Terminal, 12th and Market Streets, Philadelphia, for Camp Hill Station, or at Broad Street Station, Pennsylvania R. R., for Fort Hill Station. Be sure that the train you take stops at these stations.

Notice.—It is necessary that you should Telephone us (Bell Phone, 226 Ambler; Keystone Phone, 652-Y), in advance of your coming, so that we can send a carriage to the station for you. Our office is 21/2 miles from either station.

THE COMMONWEALTH OF PENNSYLVANIA

DEPARTMENT OF ACRICULTURE

Certificate of Inspection of Nursery Stock No. 1303.

This is to certify that the stock in the nursery of Thomas Meehan & Sons, Inc., of Dresher, County of Montgomery, State of Pennsylvania, was duly examined in compliance with the provisions of the Act of Legislature of Pennsylvania, approved the 31st day of March, A. D., 1905, and it was found to be apparently free from San Jose Scale and other dangerously injurious insect pest or pests.

This Certificate expires August 31, 1909 N. B. Critchy Dated Harrisburg, Pa., Sept. 14, 1908. P. H. HERTZOG, Inspector.

Secretary of Agriculture

Deciduous Trees

The price of nursery stock is fixed according to the value of the tree offered. The value of the tree depends entirely upon the character of the stock and it is this "value" which makes prices differ in the catalogues of nurserymen. Stock that is sold at a low price is grown with the least possible expense put upon it, but at a sacrifice to the "quality." Stock that is thoroughly cultivated, grown in good soil, well manured and several times transplanted cannot be grown cheaply, but its "value" to the planter is increased, and in the long run such stock is cheaper than poorly grown stock at a "low price."

We bring up-to-date methods into the production of our goods. Our soil is especially adapted for the growing of good nursery stock. We spend thousands of dollars yearly in manures and in cultivating; besides this our trees are frequently transplanted. We cull out and burn all crooked and imperfect trees so that our customers receive full value for

the prices charged.

Intending purchasers of nursery stock should keep this in mind when comparing our prices with others. A visit to our nurseries will convince any one of the statement we make.

We call particular attention of customers to the trees marked "Specimens." These are trees that have been frequently transplanted, set wide apart in nursery rows and are well developed in every way.

	accompaniation, may,	Per 100
Acer	campestre, English Cork Maple	1 61 100
, ,,,,,	3 to 4 ft	31 00
	4 to 5 ft	37 00
66		31 00
••	colchicum rubrum	
	4 to 5 ft	37 00
66	dasycarpum, Silver Maple	
	1½ to 1¾ in. calliper	50 00
	1% to 2 in. calliper	75 00
	2 to 2½ in. calliper	100 00
	2½ to 3 in. calliper, specimens	150 00
	3 to 3½ in. calliper, specimens	
	4 to 41% in calliper	200 00
	4 to $4\frac{1}{2}$ in. calliper	250 00
44	dasycarpum Weiril, Weir's Cut-leaf Maple	
		45 00
	8 to 10 ft	45 00
	2 to 2½ in. calliper	$\begin{array}{ccc} 125 & 00 \\ 150 & 00 \end{array}$
	2½ to 3 in. calliper	$150 00 \\ 175 00$
	3 to 3½ in. calliper	200 00
	3½ to 4 in. calliper	
	2½ to 3 in. calliper, specimens	
	3 to 3½ in. calliper, specimens	
	3½ to 4 in. calliper, specimens	
	4 to 5 in. callper, specimens	
**		100 00
	negundo, Ash-leaved Maple, Box Elder	05 00
	1½ to 2 in. calliper	35 00
	2 to 2½ in. calliper	65 00
	2½ to 3 in. calliper	$100 00 \\ 150 00$
	3 to 4 in. calliper	150 00 200 00
	4 to 5 in. calliper	200 00
44	Pennsylvanicum (striatum), Striped Maple	
	3 to 4 ft	30 00
	4 to 6 ft	50 00
	6 to 8 ft	60 00

Acer platanoides, Norway Maple
4 to 6 ft
6 to 8 ft
8 to 10 ft
$1\frac{1}{2}$ to $1\frac{3}{4}$ in. calliper
1¾ to 2 in. calliper
2 to $2\frac{1}{2}$ in calliper
$2\frac{1}{2}$ to 3 in. calliper
$1\frac{1}{2}$ to $1\frac{3}{4}$ in. calliper, high branched
19/ 1- 0 in a Nime 1 in house held
$1\frac{\pi}{4}$ to 2 in. calliper, high branched
2 to 2½ in. calliper, high branched
$2\frac{1}{2}$ to 3 in. calliper, high branched
These trees marked as "high branched" are so marked so
as to identify them from the other stock. They are really

These trees marked as "high branched" are so marked so as to identify them from the other stock. They are really branched about six to ten feet from the ground, and are particularly fine for street and avenue planting. The trees were transplanted two years ago. Purchasers must identify these trees when placing their order, otherwise regular stock will be shipped.

Acer	platanoides, Schwedlerii, Purple-leaved Norway Maple	
	6 to 8 ft. 1¾ to 2 in. calliper	0
	8 to 10 ft. 2 to $2\frac{1}{2}$ in. calliper, low branched 200 0 10 to 12 ft. $2\frac{1}{2}$ to 3 in. calliper, low branched 250 0	ö
66	pseudo-platanus, Sycamore Maple	
	6 to 8 ft	0
44	rubrum, Red or Scarlet Maple	
	4 to 5 ft	ŏ
44	saccharum, Sugar or Rock Maple	
	5 to 6 ft 30 0 6 to 8 ft 37 0 8 to 10 ft 62 0 1½ to 2 in calliper 100 0	0
**	striatum (see Pennsylvanicum)	
"	Tataricum, Tartarian Maple 3 to 4 ft	0
	4 to 5 ft	
44	Tataricum Ginnala	
	3 to 4 ft	0

JAPANESE MAPLES

Our Japanese Maples are not imported stock. They are propagated and grown here. Imported stock is poorly rooted, hide-bound and of irregular shape. It rarely succeeds and is frequently not true to name. We have been propagating our own Japanese Maples for thirty-five years and our stock will succeed where imported plants fail. The polymorphum atropurpureum are grown from layers, consequently on their own roots, and are very bushy plants. The pot grown plants are especially adapted for fall planting. They will be shipped with the ball unbroken.

Acer	Japonicum, Green-leaved 2½ to 3 ft. field grown	175 300	00
	Japonicum aconitifolium, Green-leaved 2 to 3 ft. 6 in. pots	175	00
"	Japonicum aureum, Golden-leaved 2 to 2½ ft. 6 in. pots	175 150	00

-		
•		Per 100
Acer	Japonicum palmatum 3 to 4 ft. 6 in. pots	250 00
44	polymorphum, Green-leaved	
	12 to 18 in. 5 in. pots	60 00
	2 to 2½ ft. field grown	$\begin{array}{ccc} 90 & 00 \\ 150 & 00 \end{array}$
	3 to 4 ft., field grown	$\frac{200}{200}$ 00
44	polymorphum ampelopsilobum	
	2 to 2½ ft., field grown	150 00
	$2\frac{1}{2}$ to 3 ft. 6 in. pots	$\frac{175}{200} \frac{00}{00}$
44		200 00
-	polymorphum atropurpureum, Blood-leaved 18 to 24 in. field grown	100 00
	18 to 24 in. 6 in. pots	150 00
	2 to 2½ ft., field grown	
	$2\frac{1}{2}$ to 3 ft., field grown	$\begin{array}{cccc} {\bf 315} & 00 \\ {\bf 500} & 00 \end{array}$
44	polymorphum cristatum, Green Fern-leaved	000 00
	18 to 24 in., field grown	125 00
	18 to 24 in. 6 in. pots	
44	polymorphum dissectum, Green Cut-leaved	
	2 to 2½ ft., field grown	$\frac{150}{200}$
**	2½ to 3 ft. 6 in. pots	
••	polymorphum dissectum atropurpureum, Purpl	e Cut-
	leaved	150 00
	18 to 24 in. 6 in. pots	
	2 to 3 ft., field grown, specimens	275 - 00
	3 to 4 ft., field grown	350 00
	3 to 4 ft. 6 in. pots	
"	polymorphum pinnatifolium, Green-leaved	000 00
	2 ft. 6 in. pots	175 00
44	polymorphum reticulatum	
	2 to 2½ ft., field grown	150 00
	2 to $2\frac{1}{2}$ ft. 6 in. pots	$\frac{175}{500}$ 00
44	polymorphum sanguineum, Purple-leaved	300 00
	12 to 18 in. 5 in. pots	60 00
	18 to 24 in., field grown	65 00
	18 to 24 in. 5 in. pots	$\begin{array}{ccc} 75 & 00 \\ 100 & 00 \end{array}$
Aesc	ulus hippocastaneum, Eu. Horse Chestnut	100 00
7030	4 to 6 ft	37 00
	6 to 8 ft	56 00
	1½ to 1¾ in. calliper	$\begin{array}{ccc} 75 & 00 \\ 100 & 00 \end{array}$
	2 to 2½ in. calliper	156 00
	2½ to 3 in. calliper	
66	3 to 3½ in. calliper	
	hippocastaneum alba plena, Double White Flowere	75 00
	1½ to 1¾ in. calliper	112 00
	1¾ to 2 in. calliper	156 00
	2 to $2\frac{1}{2}$ in. calliper	$\frac{187}{200} \frac{00}{00}$
	2½ to 3 in. calliper, specimens	$\overline{250}$ $\overline{00}$
"	hippocastaneum rubra plena, Double Red	
	10 to 12 ft	187 - 00
Ailar	nthus glandulosa, female, Tree of Heaven	0= 00
	6 to 8 ft	$\begin{array}{ccc} 37 & 00 \\ 50 & 00 \end{array}$
Alnu	s serrulata (rugosa)	00 00
, , , , , ,	4 to 5 ft. heavy specimens	75 00
Amy	gdalus Persica, Double Pink Flowering Peach	
-	3 to 4 ft	19 00
**	Persica, Double White Flowering Peach	
44	3 to 4 ft	19 00
••	Persica Double Red Flowering Peach 3 to 4 ft	10.00
	o to ± 11	19 00

	Per 1	00
Aralia Japonica 2 to 3 ft	15	00
3 to 4 ft	19	00
4 to 5 ft	$\begin{array}{c} 25 \\ 31 \end{array}$	
8 to 10 ft	37	
10 to 12 ft	62	00
Mandshurica (Dimorpanthus) 2 to 3 ft	15	00
3 to 4 ft	20	
" spinosa 2 to 3 ft	15	00
3 to 4 ft	19	00
4 to 6 ft 6 to 8 ft	$\begin{array}{c} 25 \\ 31 \end{array}$	
8 to 10 ft	37	
Betula alba, Eu. White Birch		
2 to 3 ft	12	
3 to 4 ft	$\begin{array}{c} 15 \\ 19 \end{array}$	
6 to 8 ft	25	00
8 to 10 ft	$\begin{array}{c} 37 \\ 50 \end{array}$	
" alba laciniata, Cut-leaf Weeping Birch	90	UU
8 to 10 ft	62	00
" alba pendula Youngii	-	00
3 year heads	125	00
" alba purpurea, Purple-leaved 6 to 8 ft	125	00
" lenta, Sweet Birch		
3 to 4 ft	$\begin{array}{c} 25 \\ 31 \end{array}$	
5 to 6 ft	$\frac{31}{37}$	~ ~
" lutea, Yellow Birch		
4 to 6 ft	37	
6 to 8 ft	50	00
" papyracea, Paper Birch 6 to 8 ft	50	00
" populifolia, Poplar Birch		
4 to 6 ft	37	
6 to 8 ft 8 to 10 ft	$\begin{array}{c} 50 \\ 62 \end{array}$	
10 to 12 ft	75	
" rubra (nigra), Red or Water Birch		
5 to 6 ft	$\begin{array}{c} \bf 37 \\ \bf 44 \end{array}$	
8 to 10 ft		
Our Birches are all bushy trees branched to the ground	ınd.	
Caragana arborescens (see Shrubs)		
Betula arborescens pendula		
3 to 4 ft. 2 year heads	94	-
4 to 5 ft. 3 year heads	$\begin{array}{c} 125 \\ 156 \end{array}$	
Carpinus Americana, Am. Hornbeam or Water Beech	190	00
12 to 18 in	5	00
18 to 24 in	10	
4 to 6 ft	$\begin{array}{c} 37 \\ 44 \end{array}$	
8 to 10 ft	$\hat{6}\hat{2}$	
" Betulus, European Hornbeam		
18 to 24 in	12	
These European and the small sizes of American Hor	npea	ım
have been grown especially for hedge planting.		
Carya amara		00
Carya amara 3 to 4 ft	15	
Carya amara 3 to 4 ft		
Carya amara 3 to 4 ft	$\begin{array}{c} 15 \\ 25 \\ \end{array}$	00

Carya sulcata, Western Shellbark	Per 100
2 to 3 ft Castanea Americana, Sweet Chestnut	19 00
6 to 8 ft	35 00
" vesca, Spanish Chestnut	00.00
5 to 6 ft	
Catalpa bignonoides	22 00
8 to 10 ft. 1½ to 2 in. calliper	81 00
14 to 16 ft. 3 in. calliper	125 00
8 to 10 ft	62 00
9 to 10 ft. 1½ to 2 in. calliper	$\begin{array}{ccc} 94 & 00 \\ 125 & 00 \end{array}$
" Bungeii, Standard	
2 year heads	$\frac{69}{81} \frac{00}{00}$
" Bungeil nana, Dwarf Catalpa	G1 00
2 to 3 ft	32 00
3 to 4 ft	
" Kaempferi, Japanese	07.00
4 to 5 ft " speciosa, Western Catalpa	25 00
$1\frac{1}{2}$ to 2 in. calliper	37 00
2 to $2\frac{1}{2}$ in. calliper	$\begin{array}{ccc} 75 & 00 \\ 100 & 00 \end{array}$
3 to 3½ in. calliper	$\begin{array}{ccc} 125 & 00 \\ 156 & 00 \end{array}$
4 to 5 in. calliper	250 00
2 to $2\frac{1}{2}$ in. calliper, specimens	$156 00 \\ 187 00$
3 to 3½ in. calliper, specimens	$\frac{250}{315} \frac{00}{00}$
Cedrelia sinensis	313 00
2 to 3 ft	$\frac{31}{37} \frac{00}{00}$
4 to 5 ft	44 00
5 to 6 ft	$\begin{array}{ccc} 50 & 00 \\ 55 & 00 \end{array}$
8 to 10 ft	$\frac{62}{95} \frac{00}{00}$
2½ to 3 in. calliper	156 00
3 to $3\frac{1}{2}$ in. calliper	$\frac{187}{250} \frac{00}{00}$
4 to $4\frac{1}{2}$ in. calliper	300 00
The Cedrelia sinensis is a tree similar in appearan	
general character and habit to the Ailanthus, and will	thrive
under similar conditions, but it does not have the disagr	
odor when in flower: It is without doubt one of the bes for street planting in cities and will thrive where no	
tree will grow.	, 00,101
Celtis occidentalis, Nettle or Hackberry	
4 to 6 ft " sinensis, Chinese Hackberry	$25 \ 00$
6 to 8 ft	
Cerasus sinensis ranunculaeflora, Double White Flo	wering
Cherry 3 to 4 ft	44 00
" Sieboldi rubra plena, Double Pink	. 1 (///
3 to 4 ft	44 00
" Japonica rosea pendula, Weeping Rose Fl. Cherry 6 to 8 ft. stem, 3 year head	94 00
" Padus	
2 to 3 ft	19 00
" serotina, American Bird Cherry 2 to 3 ft	19 00

Cercis Canadensis and Japonica, see shrubs	Per 1	.00
Cercidiphyllum Japonicum		
6 to 8 ft 8 to 10 ft		
Cladrastis tinctoria (Virgilia lutea), Yellow Wood	200	
6 to 8 ft	94	00
8 to 10 ft	125	00
Cornus florida, White Flowered Dogwood	4.0	
2 to 3 ft	$\begin{array}{c} 19 \\ 25 \end{array}$	
4 to 5 ft		00
6 to 8 ft	62	
" florida pendula, Weeping White Flowered Dogwo	bod	
2 to 3 ft	44	00
" florida rubra, Red Flowered Dogwood		
2 to 3 ft		
4 to 5 ft	62	00
5 to 6 ft		
" Other varieties (see Shrubs)		
Crataegus (See Shrubs		
Dimorpanthus Mandschurica (see Aralia Mandschurica)	
Diospyrus Virginiana, American Persimmon		2.0
6 to 8 ft 8 to 10 ft		
10 to 12 ft		
Fagus sylvatica, European Beech		
2 to 3 ft	$\frac{25}{31}$	00
		00
5 to 6 ft " sylvatica asplenifolia, Fern-leaf Beech	62	00
2 to 3 ft	62	00
" heterophylla, Cut-leaved Beech		
3 to 4 ft		00
" pendula, Weeping Beech	.0	00
2 to 3 ft		00
4 to 5 ft		00
" purpurea, Copper Beech		
2 to 3 ft		00
" Rivers' Blood-leaf Beech	44	00
3 to 4 ft	50	00
5 to 6 ft	$\begin{array}{c} 75 \\ 312 \end{array}$	00
8 to 10 ft. with ball, specimens	437	00
" purpurea pendula, Weeping Blood-leaf Beech	40=	
5 to 6 ft		
These 8 to 10 ft. specimens were transplanted last		
and will be shipped with a ball of earth, and the ball in burlap.	SCW	çu
•		
Fraxinus Americana, American White Ash	25	00
8 to 10 ft	31	00
10 to 12 ft	. 50	00
2 to 2½ in. calliper		00
" excelsior, English Ash 6 to 8 ft	25	00
S to 10 ft		00

Per 100	Management of the Control of the Con	
6 to 8 ft. 37 00 8 to 10 ft. 2½ in. calliper 94 00 10 to 12 ft. 2 to 2½ in. calliper 95 00 10 to 12 ft. 2 to 2½ in. calliper 156 00 12 ft. 3 to 3½ in. calliper 157 00 12 ft. 3 to 3½ in. calliper 157 00 12 ft. 3 to 3½ in. calliper 157 00 12 ft. 3 to 3½ in. calliper 157 00 12 ft. 3 to 3½ in. calliper 157 00 12 ft. 3 to 3½ in. calliper 157 00 12 ft. 3 to 3½ in. calliper 157 00 12 ft. 3 to 2 in. calliper 157 00 12 ft. 3 in. calliper 157 00 12 ft. 5 to 2 in. calliper 157 00 12 ft. 5 to 2 in. calliper 157 00 12 ft. 5 to 2 in. calliper 157 00 12 ft. 5 to 2 in. calliper 157 00 12 ft. 5 to 2 in. calliper 157 00 13 ft. 5 ft. 19 00 14 to 5 ft. 19 00 15 to 6 ft. 1	Frankland Canada Flandarian Ash	Per 100
8 to 10 ft		37 00
10 to 12 ft. 2 to 2½ in. calliper 94 00 10 to 12 ft. 3 to 3½ in. calliper 156 00 12 ft. 3 to 3½ in. calliper 157 00 pubbescens 6 to 8 ft. 37 00 "quadrangulata, Blue Ash 6 to 8 ft. 31 00 1½ to 2 in. calliper 94 00 2½ to 2½ in. calliper 94 00 2½ to 2½ in. calliper 95 00 1½ to 2 in. calliper 95 00 2 to 2½ in. calliper 95 00 3 mambucifolia, Black Ash 4 to 5 ft. 19 00 5 to 6 ft. 19 00 5 to 6 ft. 19 00 6 to 8 ft. 19 00 7 to 8 ft. 19 00 8 to 6 ft. 19 00 9 to 9 t	8 to 10 ft	50 00
## 12 ft. 3 to 3½ in. calliper 187 00 ## pubescens 6 to 8 ft. 37 00 ## quadrangulata, Blue Ash 6 to 8 ft. 31 00 1½ to 2 in. calliper 94 00 2½ to 2½ in. calliper 94 00 2½ to 2½ in. calliper 95 00 1½ to 2 in. calliper 95 00 2½ to 2½ in. calliper 95 00 2 to 2½ in. calliper 95 00 2 to 2½ in. calliper 95 00 3 ambucifolia, Black Ash 19 00 4 to 5 ft. 25 00 6 to 8 ft. 25 00 6 to 8 ft. 25 00 6 to 8 ft. 19 00 1½ to 2 in. calliper 157 00 1½ to 2 in. calliper 157 00 2½ to 3 in. calliper 157 00 3 to 3¼ in. calliper 157 00 4 to 5 ft. 19 00 6 to 8 ft. 19 00 7 to 2 in. calliper 157 00 8 to 10 ft. 19 00 9 to 2 in. calliper 157 00 1½ to 2 in. calliper 157 00 1½ to 2 in. calliper 157 00 1½ to 3 in. calliper 157 00 1½ to 6 ft. 19 00 ### Intermis, Thornless 19 00 ### Gymnocladus canadensis, Kentucky Coffee Tree 19 00 ### Sto 4 ft. 19 00 ### Intermis, Thornless 25 00 2 to 2½ in. calliper 20 00 2 to 2½ in. calliper 20 00 3 to 4 ft. 19 00 18 to 24 in. calliper 20 00 2 to 2½ in. calliper 20 00 4 to 6 ft. 22 00 6 to 8 ft. 22 00 6 to 8 ft. 22 00 8 to 10 ft. 19 00 #### Williams Stuternut 10 00 #### Sto 24 in. calliper 10 00 #### Region 10 00 ##### Kellon 10 00 #### Region 10 00 ##### Region 10 00 #### Region 10 00	10 to 12 ft. 2 to 21/6 in. calliper	94 00
## pubescens 6 to 8 ft	12 ft. 3 to 3\% in. calliper	187 00
## duadrangulata, Blue Ash 6 to 8 ft		
Geditschia triacanthos, Honey Locust 3 to 4 ft 15 00 16 ft 15 00 1		37 00
1½ to 2 in. calliper	" quadrangulata, Blue Ash	
2 to 2½ in. calliper. 94 00 2½ to 3 in. calliper. 125 00 1½ to 2 in. calliper, specimens 95 00 2 to 2½ in. calliper, specimens 130 00 " sambucifolia, Black Ash 4 to 5 ft. 19 00 5 to 6 ft. 25 00 6 to 8 ft. 44 00 This is the variety known in the vicinity of Chicago as the "Bronze Ash." " viridis, Green Ash 5 to 6 ft. 19 00 6 to 8 ft. 19 00 2½ to 2 in. calliper. 50 00 1½ to 2 in. calliper. 50 00 3½ to 3 in. calliper. 157 00 3 to 3½ in. calliper. 157 00 4 to 6 ft. 19 00 Gleditschia triacanthos, Honey Locust 3 to 4 ft. 19 00 " inermis, Thornless 4 to 6 ft. 31 00 6 to 8 ft. 31 00 1½ to 2 in. calliper. 25 00 1½ to 3 in. calliper. 50 00 2½ to 3½ in. calliper. 50 00 3 to 3½ to 4 in. calliper. 50 00 3 to 3½ to 4 in. calliper. 50 00 3 to 3½ to 4 in. calliper. 50 00 4 to 6 ft. 50 00 5 to 6 ft. 50 00 5 to 6 ft. 50 00 6 to 8 ft. 60		
2½ to 3 in. calliper, specimens	2 to 216 in calliper	94 00
2 To 2½ in. calliper, specimens. 130 00 " sambucifolla, Black Ash 4 to 5 ft	$2\frac{1}{2}$ to 3 in. calliper	125 00
# sambucifolia, Black Ash 4 to 5 ft		
## ## ## ## ## ## ## ## ## ## ## ## ##		100 00
5 to 6 ft	•	19 00
This is the variety known in the vicinity of Chicago as the "Bronze Ash." " viridis, Green Ash 5 to 6 ft	5 to 6 ft	\dots 25 00
"Viridis, Green Ash 5 to 6 ft		
" viridis, Green Ash 19 00 6 to 8 ft. 25 00 1½ to 2 in. calliper 50 00 2½ to 3 in. calliper 157 00 3½ to 4 in. calliper 219 00 Gleditschia triacanthos, Honey Locust 3 to 4 ft. 15 00 4 to 6 ft. 19 00 "inermis, Thornless 37 00 Gymnocladus canadensis, Kentucky Coffee Tree 5 to 6 ft. 25 00 6 to 8 ft. 31 00 8 to 10 ft. 37 00 Juglans cineria, Butternut 5 to 6 ft. 22 00 6 to 8 ft. 25 00 8 to 10 ft. 19 00 4 to 6 ft. 37		go as the
Sto 6 ft. 19 00	"Bronze Ash."	
5 to 6 ft	" viridis, Green Ash	
1½ to 2 in. calliper	5 to 6 ft	
2½ to 3 in. calliper		
3 to 3½ in. calliper	$2\frac{1}{2}$ to 3 in. calliper	157 00
State	3 to $3\frac{1}{2}$ in calliper	187 00
3 to 4 ft		219 00
# to 6 ft		15.00
" inermis, Thornless 37 00 Gymnocladus canadensis, Kentucky Coffee Tree 5 to 6 ft. 25 00 6 to 8 ft. 31 00 8 to 10 ft. 44 00 1½ to 2 in. calliper 62 00 2 to 2½ in. calliper 75 00 Juglans cineria, Butternut 5 to 6 ft. 22 00 6 to 8 ft. 37 00 " nigra, Black Walnut 12 00 18 to 24 in. 12 00 2 to 3 ft. 15 00 3 to 4 ft. 19 00 4 to 6 ft. 22 00 6 to 8 ft. 37 00 " regia, English Walnut, Madera Nut 19 00 18 to 24 in. 19 00 Koelreuteria paniculata, Japanese Varnish Tree 4 to 6 ft. 37 00 T to 8 ft. 37 00 5 to 6 ft. 37 00 5 to 6 ft. 40 00 Larix Europaea, European Larch 2 to 3 ft. 19 00 4 to 5 ft. 37 00 5 to 6 ft. 44 00 Liquidambar styraciflua, Sweet Gum 4 to 6 ft. 44 00 6 to 8 ft. 94 00 8 t		
4 to 6 ft. 37 00 Gymnocladus canadensis, Kentucky Coffee Tree 5 to 6 ft. 25 00 6 to 8 ft. 31 00 8 to 10 ft. 44 00 1½ to 2 in. calliper. 62 00 2 to 2½ in. calliper. 75 00 Juglans cineria, Butternut 5 to 6 ft. 22 00 6 to 8 ft. 37 00 " nigra, Black Walnut 12 00 2 to 3 ft. 15 00 3 to 4 ft. 19 00 4 to 6 ft. 22 00 6 to 8 ft. 22 00 8 to 10 ft. 31 00 " regia, English Walnut, Madera Nut 19 00 18 to 24 in. 19 00 Koelreuteria paniculata, Japanese Varnish Tree 4 to 6 ft. 37 00 4 to 5 ft. 37 00 5 to 6 ft. 44 00 Larix Europeaa, European Larch 2 to 3 ft. 19 00 4 to 5 ft. 37 00 5 to 6 ft. 44 00 Liquidambar styraciflua, Sweet Gum 4 to 6 ft. 44 00 Liquidambar grown from seeds or seedlings produced in		
5 to 6 ft. 25 00 6 to 8 ft. 31 00 8 to 10 ft. 44 00 1½ to 2 in. calliper. 62 00 2 to 2½ in. calliper. 75 00 Juglans cineria, Butternut 5 to 6 ft. 22 00 6 to 8 ft. 37 00 " nigra, Black Walnut 12 00 2 to 3 ft. 15 00 3 to 4 ft. 19 00 4 to 6 ft. 22 00 6 to 8 ft. 25 00 8 to 10 ft. 31 00 "regia, English Walnut, Madera Nut 18 to 24 in. 19 00 Koelreuteria paniculata, Japanese Varnish Tree 4 to 6 ft. 37 00 7 to 8 ft. 44 00 Larix Europaea, European Larch 2 to 3 ft. 19 00 4 to 5 ft. 37 00 5 to 6 ft. 44 00 Liquidambar styraciflua, Sweet Gum 4 to 6 ft. 94 00 8 to 10 ft. 125 00 Liquidambar grown from seeds or seedlings produced In		37 00
6 to 8 ft	Gymnocladus canadensis, Kentucky Coffee Tree	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		
1½ to 2 in. calliper		
Juglans cineria, Butternut	$1\frac{1}{2}$ to 2 in. calliper	62 00
5 to 6 ft. 22 00 6 to 8 ft. 37 00 " nigra, Black Walnut 12 00 18 to 24 in. 12 00 2 to 3 ft. 15 00 3 to 4 ft. 19 00 4 to 6 ft. 22 00 6 to 8 ft. 25 00 8 to 10 ft. 31 00 "regia, English Walnut, Madera Nut 19 00 Koelreuteria paniculata, Japanese Varnish Tree 4 to 6 ft. 37 00 7 to 8 ft. 44 00 Larix Europaea, European Larch 19 00 4 to 5 ft. 37 00 5 to 6 ft. 44 00 Liquidambar styraciflua, Sweet Gum 4 to 6 ft. 44 00 8 to 10 ft. 125 00 Liquidambar grown from seeds or seedlings produced in		75 00
6 to 8 ft		20 00
18 to 24 in		
18 to 24 in	" nigra. Black Walnut	
2 to 3 ft		12 00
4 to 6 ft	2 to 3 ft	15 00
6 to 8 ft. 25 00 8 to 10 ft. 31 00 " regia, English Walnut, Madera Nut 18 to 24 in. 19 00 Koelreuteria paniculata, Japanese Varnish Tree 4 to 6 ft. 37 00 7 to 8 ft. 44 00 Larix Europaea, European Larch 2 to 3 ft. 37 00 4 to 5 ft. 37 00 5 to 6 ft. 37 00 5 to 6 ft. 44 00 Liquidambar styraciflua, Sweet Gum 4 to 6 ft. 44 00 8 to 10 ft. 94 00 8 to 10 ft. 125 00 Liquidambar grown from seeds or seedlings produced in		$\begin{array}{cccccccccccccccccccccccccccccccccccc$
" regia, English Walnut, Madera Nut 19 00 Koelreuteria paniculata, Japanese Varnish Tree 37 00 4 to 6 ft. 37 00 7 to 8 ft. 44 00 Larix Europaea, European Larch 19 00 2 to 3 ft. 37 00 4 to 5 ft. 37 00 5 to 6 ft. 44 00 Liquidambar styraciflua, Sweet Gum 44 00 6 to 8 ft. 94 00 8 to 10 ft. 125 00 Liquidambar grown from seeds or seedlings produced in		$\dots 25 00$
18 to 24 in. 19 00 Koelreuteria paniculata, Japanese Varnish Tree 4 to 6 ft. 37 00 7 to 8 ft. 44 00 Larix Europaea, European Larch 2 to 3 ft. 19 00 4 to 5 ft. 37 00 5 to 6 ft. 44 00 Liquidambar styraciflua, Sweet Gum 4 to 6 ft. 94 00 8 to 10 ft. 125 00 Liquidambar grown from seeds or seedlings produced in	: 0 00 20 20 20 00 00 00 00 00 00 00 00 0	31 00
Koelreuteria paniculata, Japanese Varnish Tree 4 to 6 ft	regia, English Walnut, Madera Nut	40.00
4 to 6 ft. 37 00 7 to 8 ft. 44 00 Larix Europaea, European Larch 19 00 2 to 3 ft. 37 00 5 to 6 ft. 37 00 5 to 6 ft. 44 00 Liquidambar styraciflua, Sweet Gum 44 00 6 to 8 ft. 94 00 8 to 10 ft. 125 00 Liquidambar grown from seeds or seedlings produced in		19 00
7 to 8 ft		0= 00
Larix Europaea, European Larch 19 00 2 to 3 ft. 37 00 4 to 5 ft. 37 00 5 to 6 ft. 44 00 Liquidambar styraciflua, Sweet Gum 44 00 4 to 6 ft. 94 00 6 to 8 ft. 94 00 8 to 10 ft. 125 00 Liquidambar grown from seeds or seedlings produced in		
2 to 3 ft		11 00
4 to 5 ft		19.00
4 to 6 ft	4 to 5 ft	37 00
4 to 6 ft	5 to 6 ft	44 00
6 to 8 ft		
8 to 10 ft		
Liquidambar grown from seeds or seedlings produced In		

Liquidambar grown from seeds or seedlings produced In the south are not hardy as far north as Philadelphia. There are a few native trees in Eastern Pennsylvania. We gather seed from these trees and grow our own seedlings, and as a result our trees are hardy much farther north and west.

Liri	odendron tulipifera, Tulip Tree	Per 10
-	4 to 6 ft	$\frac{25}{31} \stackrel{0}{0}$
	8 to 10 ft	37 0
Mag	nolia Acuminata 3 to 4 ft	31 0
.,	4 to 6 ft	44 0
44	Kobus 3 to 4 ft	62 0
	4 to 5 ft	94 0
	5 to 6 ft	
	MAGNOLIAS	
	Large Flowered Chinese Varieties	
46	Alexandrina	
	3 to 4 ft. with ball	
46	conspicua, Chinese White Magnolia	109 0
	2 to 3 ft. with ball	156 0
	2 to 3 ft. 7 in. pots	169 0
	4 to 5 ft. with ball	
66	Lennei, Large Purple Flowered	
	2 to 3 ft. with ball	$\begin{array}{ccc} 125 & 0 \\ 156 & 0 \end{array}$
	4 to 5 ft. with ball	169 0
44	purpurea	400.0
	18 to 24 in. with ball	$106 \ 0$ $156 \ 0$
44	3 to 4 ft. with ball	169 0
"	Soulangeana, Large Pink Flowered Magnolia 2 to 3 ft. with ball	94 0
	3 to 4 ft. with ball	156 00 169 00
	5 to 6 ft. with ball	187 0
44	6 to 7 ft. with ball, specimensspeciosa, Early Pink Flowered Magnolia	219 00
	2 to 3 ft. with ball	106 00
	3 to 4 ft. with ball	169 00
44	5 to 6 ft. with ballstellata (Halicana), Hall's White Star Flowered	187 00
	18 to 24 in. with ball	125 00
	2 to 3 ft. with ball	219 00
	4 to $4\frac{1}{2}$ ft. with ball	250 00
	I of the above Magnolias are of our own propagatir In from layers, and are on their own roots. The	
	h healthier and better than imported stock; this	
ecia	ally the case with the Halleana. Each plant will t	e dug
	a ball of earth and the ball sewed in burlap. Th	e con
•		
viori	us Tartarica, Russian Mulberry 5 to 6 ft	19 00
44	6 to 8 ft	31 00
	Tea's Weeping Mulberry 3 year heads	94 00
Vegi	undo aceroides. (See Acer negundo, page 1.)	
Vyse	sa multiflora, Sour Gum	400 00
)etr	2 to 3 ftya Virginica	45 00
JOLI'	6 to 8 ft	95 00

Oxydendron arboreum, Sorrel Tree	Per 1	
2 to 3 ft	44	00
Phellodendron amurense, Chinese Cork Tree		
4 to 6 ft	156	
Platanus occidentalis		
4 to 6 ft 6 to 8 ft 8 to 10 ft	$\frac{19}{25}$	$\begin{array}{c} 00 \\ 00 \\ 00 \end{array}$
Platanus orientalis, European Sycamore, European Pla	ne	
5 to 6 ft 6 to 8 ft 8 to 10 ft 1½ to 1½ in. calliper. 1½ to 1¾ in. calliper, low branched. 1¾ to 2 in. calliper, low branched. 2 to 2¼ in. calliper, low branched. 2 to 2½ in. calliper, low branched.	22 25 37 75 125 156 156 187 219	00 00 00 00 00 00 00 00 00
Populus alba (argentea), Silver Poplar		
6 to 8 ft 8 to 10 ft		$\begin{array}{c} 00 \\ 00 \end{array}$
" Balsamifera, Balsam Poplar		
8 to 10 ft		00
" Bolleana, Pyramidal Silver Poplar		
6 to 8 ft. 8 to 10 ft. 1½ to 2 in. calliper. 2 to 2½ in. calliper, specimens. 2½ to 3 in. calliper, specimens. 3 to 3½ in. calliper, specimens. 3½ to 4 in. calliper, specimens.	$ \begin{array}{r} 44 \\ 62 \\ 187 \\ 250 \\ 315 \end{array} $	00 00 00 00 00 00
" fastigiata, Lombardy Poplar		
6 to 8 ft	25 37 50	$\begin{array}{c} 00 \\ 00 \\ 00 \end{array}$
6 to 8 ft	19	00
8 to 10 ft	25	00
Prunus Pissardi, Purple-leaved Plum 3 to 4 ft		00
Pterostyrax hispidum	10	00
4 to 6 ft	$\frac{44}{62}$	$\begin{array}{c} 00 \\ 00 \end{array}$
Pyrus aucuparia (see Sorbus aucuparia)		
" Bechtel's Double Flowering (Ionensis)		
2 to 3 ft	$\frac{31}{44}$ 125	00
" floribunda atrosanguinea	6-	0.0
2 to 3 ft	$\begin{array}{c} 37 \\ 44 \end{array}$	
6 to 8 ft	50 65	00 00

OAKS

Years ago we began advocating the planting of Oaks for all general purposes; now planters realize their merits. Now they are used for every purpose. They are planted on boulevards, avenues in parks and cemeteries and more recently in the cities. It makes a permanent tree, very free from in-

sects and is unsurpassed by any other shade tree. The Pin Oak is particularly adapted for side-walk planting in cities and seems to thrive under the adverse conditions usually found in such places.

round in such places.	Per 100			
Quercus alba				
5 to 6 ft	94 00			
6 to 8 ft				
2 to $2\frac{1}{2}$ in. calliper	187 00			
$2\frac{1}{2}$ to 3 in. calliper				
3½ to 4 in calliper				
" aquatica, Water Oak				
4 to 6 ft "Bannisteri, Scrub Oak	62 00			
2 to 3 ft	44 00			
" bicolor, Swamp White Oak				
6 to 8 ft	$94 00 \\ 156 00$			
2 to $2 + 1$ calliper				
$2\frac{1}{2}$ to 3 in. calliper	250 00			
3 to $3\frac{1}{2}$ in. calliper				
" cerris, Turkey Oak				
6 to 8 ft				
$1\frac{1}{2}$ to 2 in. calliper	$156 00 \\ 169 00$			
$2\frac{1}{2}$ to 3 in. calliper	219 00			
3 to 3½ in. calliper				
" coccinea, Scarlet Oak	0.0			
4 to 5 ft	50 00			
5 to 6 ft	$\begin{array}{ccc} 75 & 00 \\ 94 & 00 \end{array}$			
8 to 10 ft	125 00			
1½ to 2 in. calliper	$156 00 \\ 187 00$			
2 to $2\frac{1}{2}$ in. calliper				
3 to 3½ in. calliper				
" macrocarpa, Mossy Cup or Burr Oak	375 00			
6 to 8 ft	62 00			
1½ to 2 in. calliper				
2 to $2\frac{1}{2}$ in. calliper $2\frac{1}{2}$ to 3 in. calliper				
3 to 3½ in. calliper	315 00			
" nigra, Black Jack Oak 3 to 4 ft	50 00			
" palustris, Pin Oak	30 00			
4 to 5 ft	44 00			
5 to 6 ft	$\begin{array}{ccc} 50 & 00 \\ 62 & 00 \end{array}$			
$1\frac{1}{2}$ to 2 in. calliper	$106 \ 00$			
2 to $2\frac{1}{2}$ in. calliper	$\begin{array}{ccc} 187 & 00 \\ 250 & 00 \end{array}$			
3 to $3\frac{1}{2}$ in. calliper	315 00			
$3\frac{1}{2}$ to 4 in. calliper	375 00			
4 to 5 in. calliper	$\begin{array}{cccc} 625 & 00 \\ 344 & 00 \end{array}$			
3 to $3\frac{1}{2}$ in. calliper, specimens				
$3\frac{1}{2}$ to 4 in. calliper, specimens	$\begin{array}{ccc} 500 & 00 \\ 625 & 00 \end{array}$			
" palustri-imbricaria				
1½ to 2 in. calliper	106 00			
2 to $2\frac{1}{2}$ in. calliper	$\begin{array}{ccc} 187 & 00 \\ 281 & 00 \end{array}$			
3 to 3½ in. calliper				
" Phellos, Willow Oak				
6 to 8 ft	$\begin{array}{cc} 44 & 00 \\ 62 & 00 \end{array}$			
8 to 10 ft	75 00			
2 to 2½ in. calliper	$\frac{125}{210}$ 00			
$2\frac{1}{2}$ to 3 in. calliper	219 00			

Quercus Prinus, Rock Chestnut Oak	Per 100
5 to 6 ft	
8 to 10 ft	
$\frac{1}{2}$ to $\frac{1}{2}$ in. calliper	. 156 00
$2\frac{1}{2}$ to 3 in. calliper	. 187 00
3 to 3½ in. calliper	. 315 00
" robur, English Oak	
6 to 8 ft	
1½ to 2 in. calliper	. 125 00
2 to 2½ in. calliper	. 169 00 . 219 00
3 to 3½ in. calliper	. 250 00
" rubra, Red Oak	. =00 00
5 to 6 ft	. 50 00
6 to 8 ft	75 00
8 to 10 ft	
$1\frac{1}{2}$ to 2 in. calliper	
2 to 2½ in. calliper	. 187 00
2½ to 3 in. calliper	. 250 00 . 315 00
$3\frac{1}{2}$ to 4 in. calliper	
" tinctoria, Black Oak	0.0
4 to 6 ft	. 50 00
6 to 8 ft	
8 to 10 ft	. 94 00
$1\frac{1}{2}$ to 2 in. calliper	. 125 00
2 to $2\frac{1}{2}$ in. calliper	
2½ to 3 in. calliper	. 250 00 . 315 00
	. 515 00
Robinia pseud-acacia, Yellow or Black Locust	
6 to 8 ft	
8 to 10 ft	. 19 00
Salisburia adiantifolia 6 to 8 ft	. 45 00
Salix aurea pendula	
6 to 8 ft	. 19 00
8 to 10 it	
" Babylonica, Babylonian Weeping Willow	
8 to 10 ft	. 44 00
Diffeensis, neu-baikeu Willow	10.00
3 to 4 ft	. 19 00
" petandra, Laurel-leaved Willow	
4 to 6 ft	
6 to 8 ft	. 19 00
" regalis, Royal or White-leaved	
3 to 4 ft	. 19 00
	. 10 00
Rosmarinifolia, Rosmary Willow	
3 to 4 ft	
4 to 5 ft	. 37 00
" vitellina, Golden Bark	
4 to 6 ft	. 19 00
6 to 8 ft	. 25 00
Sophora Japonica	
2 to 3 ft	
4 to 5 ft	. 44 00
" Japonica pendula, Weeping Sophora	
5 year head	. 156 00
Sorbus aucuparia, European Mountain Ash	40.00
3 to 4 ft	. 12 00
Styrax Obassia	
3 to 4 ft	
5 to 6 ft	. 50 00
Taxodium distichium, Bald or Deciduous Cypress	
2 to 3 ft	
4 to 5 ft	
U tu u ittiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	. 02 00

Tilia Americana, American Linden	Per :	100
6 to 8 ft 1 to 1½ in. calliper 8 to 10 ft. 1½ to 2 in. calliper	. 45 . 100	00 00
" alba pendula, Weeping Linden		
8 to 10 ft. 3 year heads	. 156 . 187	$_{00}^{00}$
" Europaea, Small-leaved Linden 4 to 5 ft	. 19	00
" plataphylla, Large-leaved European Linden		
4 to 5 ft	. 19 . 44	$_{00}^{00}$
Ulmus Americana, American Elm		,
2 to 2½ in. calliper	$\begin{array}{c} 187 \\ 250 \end{array}$	00
2 to 2½ in. calliper, specimens	$\frac{200}{250}$	00
" Camperdown pendula		
5 to 6 ft. 2 year heads 8 to 10 ft. 3 year heads	$\begin{array}{c} 62 \\ 156 \end{array}$	$\begin{array}{c} 00 \\ 00 \end{array}$
" parvifolia, Japanese Elm		
The second secon		00
4 to 5 ft		
The Ulmus parvifolia is a Japanese species, very har this country. It does not make a large tree, but is of a growing habit. The leaves are small and of a bright green and remain on the tree late into the fall. It is	ardy a den t shi	in se ny
The Ulmus parvifolia is a Japanese species, very has this country. It does not make a large tree, but is of a growing habit. The leaves are small and of a bright green and remain on the tree late into the fall. It is able variety for ornamental planting.	ardy a den t shi	in se ny
The Ulmus parvifolia is a Japanese species, very has this country. It does not make a large tree, but is of a growing habit. The leaves are small and of a bright green and remain on the tree late into the fall. It is able variety for ornamental planting. Ulmus campestre, English Elm 4 to 5 ft.	ardy a den t shii a va	in se ny lu-
The Ulmus parvifolia is a Japanese species, very had this country. It does not make a large tree, but is of a growing habit. The leaves are small and of a bright green and remain on the tree late into the fall. It is able variety for ornamental planting. Ulmus campestre, English Elm $\begin{array}{c} 4 & \text{to 5 ft.} \\ 1\frac{1}{2} & \text{to 2 in. calliper.} \\ 2 & \text{to 2 } \frac{1}{2} & \text{in. calliper.} \end{array}$	ardy a den t shi a va	in se ny lu-
The Ulmus parvifolia is a Japanese species, very has this country. It does not make a large tree, but is of a growing habit. The leaves are small and of a bright green and remain on the tree late into the fall. It is able variety for ornamental planting. Ulmus campestre, English Elm 4 to 5 ft. 1½ to 2 in. calliper.	ardy a den t shii a va 19 50 94 187	in se ny lu-
The Ulmus parvifolia is a Japanese species, very has this country. It does not make a large tree, but is of a growing habit. The leaves are small and of a bright green and remain on the tree late into the fall. It is able variety for ornamental planting. Ulmus campestre, English Elm 4 to 5 ft	19 50 94 187 315	in se ny lu-
The Ulmus parvifolia is a Japanese species, very has this country. It does not make a large tree, but is of a growing habit. The leaves are small and of a bright green and remain on the tree late into the fall. It is able variety for ornamental planting. Ulmus campestre, English Elm 4 to 5 ft. 1½ to 2 in. calliper. 2 to 2½ in. calliper. 2 to 3 in. calliper. 3 to 4 in. calliper. 4 to 5 in. calliper. 2 to 2½ to 3 in. calliper. 3 to 4 in. calliper.	19 50 94 187 315	in se ny lu-
The Ulmus parvifolia is a Japanese species, very had this country. It does not make a large tree, but is of a growing habit. The leaves are small and of a bright green and remain on the tree late into the fall. It is able variety for ornamental planting. Ulmus campestre, English Elm 4 to 5 ft. 1½ to 2 in. calliper. 2 to 2½ in. calliper. 3 to 4 in. calliper. 4 to 5 in. calliper. 2½ to 3 in. calliper. 3 to 4 in. calliper. 4 to 5 in. calliper. 2½ to 3 in. calliper. 2½ to 3 in. calliper. 2½ to 3 in. calliper.	19 50 94 187 315	in se ny lu-
The Ulmus parvifolia is a Japanese species, very has this country. It does not make a large tree, but is of a growing habit. The leaves are small and of a bright green and remain on the tree late into the fall. It is able variety for ornamental planting. Ulmus campestre, English Elm 4 to 5 ft	19 50 94 187 315 156 190 250 375	in se ny lu-
The Ulmus parvifolia is a Japanese species, very has this country. It does not make a large tree, but is of a growing habit. The leaves are small and of a bright green and remain on the tree late into the fall. It is able variety for ornamental planting. Ulmus campestre, English Elm 4 to 5 ft. 1½ to 2 in. calliper. 2 to 2½ in. calliper. 3 to 4 in. calliper. 4 to 3 in. calliper. 3 to 4 in. calliper. 4 to 2 in. calliper. 5 to 2½ in. calliper. 6 to 2½ in. calliper. 7 to 2 in. calliper. 7 to 3 in. calliper. 8 to 4 in. calliper. 9 to 2½ to 3 in. calliper. 10 to 4 in. calliper. 11 to 5 to 2½ to 3 in. calliper. 11 to 5 to	19 50 94 187 315 156 190 250 375	in se ny lu-
The Ulmus parvifolia is a Japanese species, very has this country. It does not make a large tree, but is of a growing habit. The leaves are small and of a bright green and remain on the tree late into the fall. It is able variety for ornamental planting. Ulmus campestre, English Elm 4 to 5 ft	19 50 94 187 315 156 190 250 375	in se ny lu-
The Ulmus parvifolia is a Japanese species, very has this country. It does not make a large tree, but is of a growing habit. The leaves are small and of a bright green and remain on the tree late into the fall. It is able variety for ornamental planting. Ulmus campestre, English Elm 4 to 5 ft. 1½ to 2 in. calliper. 2 to 2½ in. calliper. 2 to 3 in. calliper. 3 to 4 in. calliper. 4 to 5 in. calliper. 3 to 4 in. calliper. 4 to 2 in. calliper. 4 to 5 ft. 5 ft. 6 ft	19 50 9 187 315 156 190 250 375 nd ni	in se ny lu-
The Ulmus parvifolia is a Japanese species, very has this country. It does not make a large tree, but is of a growing habit. The leaves are small and of a bright green and remain on the tree late into the fall. It is able variety for ornamental planting. Ulmus campestre, English Elm 4 to 5 ft	19 50 9 187 315 156 190 250 375 nd ni	in se ny lu-
The Ulmus parvifolia is a Japanese species, very has this country. It does not make a large tree, but is of a growing habit. The leaves are small and of a bright green and remain on the tree late into the fall. It is able variety for ornamental planting. Ulmus campestre, English Elm 4 to 5 ft	190 190 190 190	00 00 00 00 00 00 00 00 00 00 00 00 00
The Ulmus parvifolia is a Japanese species, very has this country. It does not make a large tree, but is of a growing habit. The leaves are small and of a bright green and remain on the tree late into the fall. It is able variety for ornamental planting. Ulmus campestre, English Elm 4 to 5 ft. 1½ to 2 in. calliper. 2 to 2½ in. calliper. 2½ to 3 in. calliper. 3 to 4 in. calliper. 4 to 5 ft. 1½ to 2 in. calliper. 2½ to 3 in. calliper. 3 to 4 in. calliper. 4 to 5 ft. 1½ to 2 in. calliper. 5 to 4 in. calliper. 7 to 2½ in. calliper. 1½ to 3 in. calliper. 2 to 2½ in. calliper. 3 to 4 in. calliper. 3 to 4 in. calliper. 4 tops. They have been several times transplanted. 4 Huntington 3 to 3½ in. calliper, specimens. 5 urrourea 1½ to 2 in. calliper, specimens. 6 virgilia lutea (See Cladrastis tinctoria)	190 190 190 190	in se ny lu- 00 00 00 00 00 00 00 00 00 00 00 00 00

Deciduous Shrubs

The height of a shrub does not indicate its value to a customer when making comparison in prices. Some nurserymen plant their shrubs thickly in the nursery rows, thereby gaining height, but such shrubs are not bushy. A shrub that is given ample room to develop bushiness will not make the same height in a given time as those which have been planted closely together. We set our shrubs wide apart in the rows and our plants are all good bushy stock; our prices are based on this fact, and customers are given full value for the prices we charge. The shrubs marked "specimens" are large, well developed plants, that have been given ample room in the nursery rows to fully develop, they have been several times transplanted, and they are exceptionally fine shrubs for immediate effect.

Alnus serrulata (rugosa) (see trees)	
Amelanchier Botryapium	
18 to 24 in	11 00
2 ft	$12 \ 00$
Amorpha canescens	
12 to 18 in 2 to 3 ft	$\frac{11}{19} \frac{00}{00}$
" fruticosa	19 00
3 to 4 ft	12 50
4 to 5 ft	
5 to 6 ft	18 00
Amygdalus nana, Double White Flowering Almond	
2 to 3 ft	19 00
" nana, Double Pink Flowering Almond	
2 to 3 ft	19 00
Andromeda calyculata	
12 to 18 in	$20 \ 00$
" Mariana	
12 to 18 in., clumps	18 00
18 to 24 in., clumps	20 00
Aralia Japonica	4 2 00
2 to 3 ft	$15 00 \\ 19 00$
4 to 5 ft	$\frac{15}{25} \frac{00}{00}$
6 to 8 ft	31 00
8 to 10 ft	$\begin{array}{ccc} 37 & 00 \\ 62 & 00 \end{array}$
" Mandschurica (Dimorpanthus)	02 00
2 to 3 ft	1 5 00
3 to 4 ft	20 00
" pentaphylla	
2 to 3 ft	10 00
3 to 4 ft	$\begin{array}{ccc} 12 & 50 \\ 25 & 00 \end{array}$
4 to 5 ft., specimens	25 00
" spinosa	15 00
2 to 3 ft	$\begin{array}{ccc} 15 & 00 \\ 19 & 00 \end{array}$
4 to 6 ft	25 00
6 to 8 ft	$\frac{31}{37} \frac{00}{00}$
8 to 10 ft	37 00

	Per 100
Azalea amoena, Evergreen Azalea 15 to 18 in., 5 in. pots, very bushy	
Note that our Azalea amoena are all pot grown They transplant more readily from pots than when duthe open ground.	plants.
" Calendulacea (lutea)	0= 00
12 to 18 in " Mollis, Red 18 to 24 in	
2 to $2\frac{1}{2}$ ft "Pontica (Ghent), assorted colors	95 00
18 to 24 in	95 00
12 to 18 in	. 25 00
Baccharis halimifolia, Groundsel Shrub	4 2 00
3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Berberis purpurea, Purple Barberry 2 to 3 ft	. 12 00 . 15 00
3 to 4 ft., specimens Thunbergii, Japanese Barberry	. 25 00
12 to 18 in	. 10 00
2 to 3 ft	. 11 50 . 25 00
Buddleia variabilis 5 to 6 ft	. 19 00
Callicarpa Murisacke 2 to 2½ ft	. 20 00
<pre>" purpurea 2 to 3 ft</pre>	. 12 50
Calycanthus floridus, Sweet Shrub	
18 to 24 in	. 12 50
Caragana arborescens 2 to 3 ft	. 13 00
" arborescens pendula, Weeping Siberian Pea 3 to 4 ft., 2 year heads	. 94 00
4 to 5 ft., 3 year heads	. 156 00
Carpinus Americana, American Hornbeam (see trees "Betulus, European Hornbeam (see trees)	5)
Ceanothus Americanus, New Jersey Tea	
18 to 24 in 2 to 3 ft	
Cephalanthus occidentalis, Dwarf Button-bush 2 to 3 ft	. 15 00
Cercis Canadensis, American Judas or Red Bud 18 to 24 in	15 00 22 50 50 00 75 00
" Japonica, Japanese Judas 18 to 24 in	22 50

Chionanthus Virginica, White Fringe	Per 100
18 to 24 in	15 00
2 to 3 ft	$\begin{array}{ccc} 19 & 00 \\ 25 & 00 \end{array}$
2 to 3 ft	12 50
Colutea arborescens	
2 to 3 ft	12 00
Corchorus, see Kerria	
Cornus alba (Siberica), Red-twigged Dogwood 18 to 24 in	9 00
2 to 3 ft	11 00
3 to 4 ft	14 00
" alternifolia, Blue Dogwood 18 to 24 in	10 00
2 to 2½ ft	$12 \ 50$
" circinata	40.70
2½ to 3 ft "florida, White Flowered Dogwood (see trees)	12 50
norida tubia, ned Flowered Dogwood (see trees))
" ignorata 2 to 3 ft	12 50
3 to 4 ft	12 50 15 00
" Mas. Cornelian Cherry	
2 ft	12 50
<pre># paniculata 2 to 3 ft</pre>	12 50
3 to 4 ft	19 00
4 to 5 ft., specimens	$\begin{array}{cccc} 25 & 00 \\ 30 & 00 \end{array}$
" sanguinea, English Dogwood	00 00
3 to 4 ft	12 50
4 to 5 ft	$\begin{array}{ccc} 15 & 00 \\ 19 & 00 \end{array}$
" sericea (Amomum) Silky Dogwood	
2 to 2½ ft	$\begin{array}{ccc} 10 & 00 \\ 15 & 00 \end{array}$
4 to 5 ft., specimens	$25 \begin{array}{c} 00 \\ 00 \end{array}$
The Cornus sanguinea is the old English Dogwood	
tomers desiring the Red-branched Dogwood must order alba.	Cornus
Cornus stolonifera lutea (flaviramea), Yellow-barked	
2 to 3 ft	10 00
	12 50
" stricta 4 to 5 ft	15 00
Corylus Americana, American Hazel	10 00
18 to 24 in	
2 to 3 ft	19 00
2 to 3 ft	
3 to 4 ft	15 00
" Cosford's Soft Shell Filbert.	19 00
5 to 6 ft	
" Garibaldi, Large Filbert	4 200
18 to 24 in	$\begin{array}{cccc} & 15 & 00 \\ & 19 & 00 \end{array}$
" purpurea, Purple-leaved Filbert	
18 to 24 in	25 00
2 to 3 ft Crataegus coccinea, White Thorn	31 00
18 to 24 in	12 50
2 to 3 ft 5 to 6 ft	15 00
6 to 8 ft	

Crat	taegus Carriere	Per	100
"	5 to 6 ft Cordata, Washington Thorn	44	00
	18 to 24 in		00
44	2 to 3 ftcrus galli, Cockspur Thorn		00
	18 to 24 in	15	$\begin{array}{c} 50 \\ 00 \end{array}$
	3 to 4 ft	$\frac{22}{31}$	
TI	he crus galli, coccinea and oxycantha make excellent		
plan	ts where a protective hedge is required. The	pla	nts
	ald be cut well down to the ground when they are s if this is done they they will make a good bushy		
	first year.	1100	, g c
66	Mollis		
	3 to 4 ft	$\frac{22}{31}$	$\frac{50}{00}$
	5 to 6 ft	37	50
"	6 to 7 ftoxycantha, English Hawthorn	40	00
	12 to 18 in		50
	18 to 24 in	$\begin{array}{c} 10 \\ 12 \end{array}$	$\begin{array}{c} 00 \\ 50 \end{array}$
44	oxycantha, Double Pink		
	4 to 6 ft 8 to 10 ft	$-31 \\ -75$	
44	oxycantha, Paul's Scarlet		
	4 to 6 ft		$\frac{00}{00}$
44	oxycantha, Double White		•
	4 to 6 ft 8 to 10 ft		00
44	Pyracantha Lalandi	• 0	
"	2 to 3 ft., 5 inch potsspatulata	45	00
	2 to 3 ft	15	00
	3 to 4 ft	$\frac{19}{25}$	$\frac{00}{00}$
Cyde	onia Japonica (Pyrus Japonica), Japanese Quince		
	18 to 24 in		$\begin{array}{c} 50 \\ 50 \end{array}$
44	Maulei, Orange		
"	2 to 3 ft Moerlossei, Pink	15	00
	18 to 24 in	12	00
44	umbillicata, bright rose	4.0	
Cvti	12 to 18 inssus Laburnum	12	00
Oy c.	3 to 4 ft	25	00
Dap	hne Mezereum rubrum	0=	00
	12 to 18 in., 6 inch pots		00
Desi	modium penduliflorum, pink	40	00
Deu	2 yeartzia candidissima plena, Double White	19	00
200	3 to 4 ft		00
	4 to 5 ft		$\begin{array}{c} 50 \\ 00 \end{array}$
44	crenata, Double White	80	00
66	4 to 5 ft., specimens crenata, Double Pink	20	00
	3 to 4 ft., bushy		00
	5 to 6 ft 5 to 6 ft., specimens		$\begin{array}{c} 50 \\ 00 \end{array}$

		-
Deutzia gracilis, Dwarf White	Per 100)
12 to 18 in	6 50	
18 to 24 in		-
" Lemoinei, Dwarf White		
18 to 24 in 3 to 4 ft. XX	12 50	0
4 to 5 ft. XX	15 00	0
" Lemoinel compacta, Dwarf White 2½ to 3 ft	10 00	0
" Pride of Rochester, Double Pink	10.0	^
3 to 4 ft		
" scabra, Single White		
5 to 6 ft	12 50	0
Diervilla Sessilifolia (lutea) 18 to 24 in	12 50	0
2 to 3 ft	19 00	0
3 to 4 ft., specimens	25 - 00	0
4 to 5 ft., specimens Dimorpanthus (see Aralia Mandschurica)	30 00	U
Eleagnus longipes 18 to 24 in	12 5	0
3 to 4 ft		
" umbellatus, female		
3 to 4 ft Euonymus Europaeus, European Burning Bush	15 0	U
2 to 3 ft	10 00	
4 to 5 ft	15 0	0
" alatus, Japanese Euonymus 2 to 2½ ft	65 0	0
" atropurpureus		
2 to 3 ft	15 00	
" Sieboldianus		
18 to 24 in	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
Exochordia grandiflora, Pearl Bush		
18 to 24 in	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
3 to 4 ft		
Forsythea Fortunei, Golden Bell	40.0	0
2 to 3 ft		0
4 to 5 ft		
" intermedia		
2 to 3 ft	10 0	0
" suspensa 2 to 3 ft	. 12 0	0
" viridissima	~ ~	
18 to 24 in	. 10 0	0
3 to 4 ft	$\begin{array}{cccc} . & 12 & 5 \\ . & 15 & 0 \end{array}$	
3 to 4 ft., specimens	. 25 0	0
" viridissima variegata 3 to 4 ft	. 15 0	0
Halesia tetraptera, Silver Bell 2 to 3 ft		0
Hamamelis Virginica, Wych-hazel	. =9 9	J
18 to 24 in	. 12 5	0

HIBISCUS MEEHANI VARIEGATA NEW SINGLE FLOWERED VARIEGATED LEAVED ALTHAEA

This is a new variety of the variegated leaved Althaea, the foliage showing the white and yellow variegation of the old variety, but which differs from the old variety inasmuch as the flowers open wide, and in a strong vigorous plant they are about four to five inches in diameter, while on the old variety the flowers do not open at all, but look like purple buttons.

The flower is of a purplish red color, single, and the plant

blooms profusely.

This new variety of our common garden Althaea will be found perfectly hardy everywhere the old variety has proven so.

prov	en so.	Per 100
	6 to 12 in	10 00
	12 to 18 in	15 00
	18 to 24 in	$\frac{20}{20}$
	2 to 2½ ft	25 00
Hibi	scus alba plena, Double White (Althaea) 4 to 5 ft	20 00
44	ardens, Double Blue	20 00
	18 to 24 in	9 00
	2 to 2½ ft	10 00
"	bicolor, Double Pink	
	18 to 24 in	$\begin{array}{ccc} 9 & 00 \\ 10 & 00 \end{array}$
**	Boule de Feu, Double Red	10 00
	18 to 24 in	9 00
	3 to 4 ft	$1\overset{\circ}{2}\overset{\circ}{5}\overset{\circ}{0}$
44	coerulea, Double Blue	00.00
66	4 to 5 ft Double Red	20 00
	3 to 4 ft	12 50
	4 to 5 ft	$\frac{12}{20} \frac{30}{00}$
66	Double White	
	4 to 6 ft	20 00
	6 to 8 ft	25 00
44	Duc de Brabant, Double Red	• • • •
	18 to 24 in	9 00
44	elegantissima, Double, delicate pale pink	40.00
66	2 to 3 ft	10 00
••	Lady Stanley, Double Pink	• • • •
	18 to 24 in	$\begin{array}{ccc} 9 & 00 \\ 10 & 00 \end{array}$
	4 to 5 ft., specimens	$\frac{1}{25}$ $\frac{1}{00}$
66	lutiflora plena, double pink	
	2 to 3 ft	10 00
66	rosea plena, Double Red	
	3 to 4 ft	12 50
44	4 to 5 ft	$20 \ 00$
••	single Lilac	10 50
	3 to 4 ft	$\frac{12}{20} \frac{50}{00}$
44	single Pink	20 00
	3 to 4 ft	12 50
66	totus alba	
	2 to 3 ft	15 00
46	variegata, fl. pl., Variegated-leaved, double red	
	18 to 24 in	10 00
Hyd	rangea arborescens	
•	2 to 3 ft	15 00.
46	3 to 4 ft	20 00
••	arborescens grandiflora (new) American Everblo	oming
	Hydrangea	45.00
	18 in	45 00

Hydrangea paniculata (type), Single	Per 100
18 to 24 in	
2 to 3 ft	
5 to 6 ft., specimens	
" paniculata, Early Flowering (type), Single	
2 to 3 ft	$\begin{array}{ccc} 15 & 00 \\ 22 & 50 \end{array}$
" paniculata grandiflora	, 22 30
18 to 24 in	7 50
2 to 3 ft	10 00
3 to 4 ft	
" paniculata grandiflora Standards	
3 to 4 ft	22 50
" radiata	
2 to 3 ft	15 00
Hypericum aureum 2 to 3 ft	12 50
" densiflorum	12 00
18 to 24 in	15 00
" Moserianum	
12 to 18 in	12 50
" patulum	10 50
12 to 15 in	. 12 50
3 to 4 ft	20 00
4 to 5 ft	
" verticillata (Prinos)	
18 to 24 in	$\begin{array}{ccc} \cdot & 12 & 50 \\ \cdot & 25 & 00 \end{array}$
Itea Virginica	. 25 00
12 to 18 in	12 50
Kerria Japonica, double (Corchorus)	
2 to 3 ft	12 50
" Japonica, single	
18 to 24 in	12 50
" Japonica variegata 12 to 18 in	12 50
18 to 24 in	
Laurus Benzoin (see Lindera)	
Ligustrum amurense, Amoor Privet	
2 to 3 ft	10 00
" Ibota, as commonly sold, not upright	
18 to 24 in., \$70 per 1000	$\begin{array}{ccc} & 7 & 50 \\ 12 & 00 \end{array}$
" Ibota, upright, The True Ibota	12 00
2 to 3 ft	10 00
3 to 4 ft., \$120 per 1000	$\begin{array}{ccc} 12 & 50 \\ 25 & 00 \end{array}$
4 to 5 ft., specimens, very heavy	$\frac{25}{32} \frac{00}{00}$
Much confusion exists in nurseries as to which is t	
Ibota Privet. We claim that the true Ibota is of uprigh	
but as nearly all other nurserymen claim the droopin	ig form
we only send out the upright form when orders speci	fy that
variety.	
Ovanionum	0 50
18 to 24 in., \$20 per 1000	3 50
3 to 4 ft., \$35 per 1000	4 00
18 to 24 in. XX, \$40 per 1000	550
3 to 4 ft.XX, \$60 per 1000	6 50
These XX plants have been transplanted and cut ba	

These XX plants have been transplanted and cut back and are much heavier than the others. When these heavy plants are required be sure to specify XX in your order.

Lian	strum Regelianum	Per 100
Ligo	18 to 24 in	10 00
	2 to 2½ ft	$\frac{10}{12} \frac{00}{50}$
	3 to 4 ft., very heavy	19 00
	4 to 5 ft., very heavy	$25 \ 00$
44	vulgaris, Common Privet 18 to 24 in., \$22 per 1000	9 57 5
Lind	lera Benzoin, Spice Bush	3 75
	2 to 3 ft	15 00
Loni	3 to 4 ft	20 00
Lon	2 to 3 ft	12 50
	3 to 4 ft	15 00
"	bella candida 2 to 3 ft	12 50
66	fragrantissima	12 90
	2 to 3 ft	12 50
66	Morrowii	
	2 ft	10 00
	2½ to 3 ft	$\begin{array}{cccc} 12 & 50 \\ 15 & 00 \end{array}$
66	Philomela	10 00
	2 to 2½ ft	12 50
44	Ruprechtiana	12 00
	2 to 3 ft	12 50
	3 to 4 ft	15 00
66	Tatarica, Red	
	2 to 3 ft	10 00
	3 to 4 ft	12 50
44	Tatarica alba 2 to 3 ft	10.00
	3 to 4 ft	$\begin{array}{cccc} 10 & 00 \\ 12 & 50 \end{array}$
46	Tatarica grandiflora rosea, Pink	
	2 to 3 ft	10 00
	4 to 5 ft	15 00
Myr	ica cerifera, Wax Myrtle	
	2 to 3 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Dist		50 UU
Pnii	adelphus aureus (Syringa), Golden-leaved	15 00
66	10 00 11 111 111 111 111 111 111 111 11	19 00
••	coronarius, Sweet Flowered Mock Orange	12 50
	2 to 3 ft	$\frac{12}{15} \frac{30}{00}$
	4 to 5 ft	20 00
	4 to 5 ft., specimens	$25 \ 00$
66	flora alba plena, Double Flowered	
	2 to 2½ ft	12 50
44	grandiflorus, Large Flowered Mock Orange	00.00
	4 to 5 ft	$\begin{array}{ccc} 20 & 00 \\ 22 & 00 \end{array}$
46	Lemoinei	22 00
	18 to 24 in	10 00
	2 to 3 ft	$12 \ 50$
44	nanus, Dwarf Mock Orange	
	2 to 3 ft	12 50
"	speciosissimus	
	3 to 4 ft	15 00
f.	Zeyherii	
	3 to 4 ft	15 00
Phot	inia villosa	00.00
	4 to 5 ft	$\begin{array}{ccc} 20 & 00 \\ 25 & 00 \end{array}$
_		20 00
Pote	ntilla fruticosa, Shrubby Cinquefoil	15 00
_	2 to 2½ ft	15 00
Prin	osa verticillata (See Ilex verticillata)	

Deriv	land the control of t	Per 10
Prui		
	Maritima, Beach Plum 3 to 4 ft	25 0
44	Pissardi, Purple-leaved Plum	19 0
- 44	triloba, dbl. fl. Plum 2 to 3 ft	19 0
ovr:	acantha (see Crataegus pyracanthus)	1.,
	us Japonica (see Cydonia Japonica)	
"	arbutifolia	
44	2 to 3 ft	$\frac{20}{25} \frac{0}{0}$
	melanocarpa 18 to 24 in	$\begin{array}{cc} 15 & 0 \\ 25 & 0 \end{array}$
Rha	mnus catharticus, Common Buckthorn	
	18 to 24 in	$\begin{array}{ccc} 5 & 0 \\ 6 & 0 \end{array}$
44	3 to 4 ft	$\stackrel{\circ}{9}$ $\stackrel{\circ}{0}$
••	crenulata 4 to 5 ft	15 0
44	frangula	_0 0
	3 to 4 ft	$\begin{array}{ccc} 15 & 0 \\ 20 & 0 \end{array}$
n s Priv Nort	ne Rhamnus catharticus makes a good strong hedge uch parts of the country in which California and ets are not hardy. It is very desirable in Canada and thwest. dotyphus kerroides	lbot
MIIO	18 to 24 in	$\frac{10}{15} \frac{0}{0}$
Rhu	s copallina, Shining Sumach	
	2 to 3 ft	$\frac{20}{20}$
44		
	cotinus, Mist or Smoke Tree 18 to 24 in	30 0 10 0
44	cotinus, Mist or Smoke Tree 18 to 24 in 2 to 3 ft 3 to 4 ft., specimens 4 to 5 ft., specimens	10 0 12 5 25 0
	cotinus, Mist or Smoke Tree 18 to 24 in 2 to 3 ft 3 to 4 ft., specimens. 4 to 5 ft., specimens. glabra, Smooth Sumach 2 to 3 ft.	30 0 10 0 12 5 25 0 30 0
44	cotinus, Mist or Smoke Tree 18 to 24 in 2 to 3 ft 3 to 4 ft., specimens 4 to 5 ft., specimens glabra, Smooth Sumach	25 0 30 0 10 0 12 5 25 0 30 0 10 0 15 0 25 0
	cotinus, Mist or Smoke Tree 18 to 24 in 2 to 3 ft 3 to 4 ft., specimens. 4 to 5 ft., specimens. glabra, Smooth Sumach 2 to 3 ft. glabra laciniata, Cut-leaved Sumach 1 to 2 ft.	30 0 10 0 12 5 25 0 30 0 10 0 15 0 25 0
44	cotinus, Mist or Smoke Tree 18 to 24 in. 2 to 3 ft. 3 to 4 ft., specimens. 4 to 5 ft., specimens. glabra, Smooth Sumach 2 to 3 ft. glabra laciniata, Cut-leaved Sumach 1 to 2 ft. 2 to 2½ ft. typhina, Stag's Horn Sumach 4 to 5 ft.	10 0 12 5 25 0 30 0 10 0 15 0 25 0
"	cotinus, Mist or Smoke Tree 18 to 24 in. 2 to 3 ft. 3 to 4 ft., specimens. 4 to 5 ft., specimens. glabra, Smooth Sumach 2 to 3 ft. glabra laciniata, Cut-leaved Sumach 1 to 2 ft. 2 to 2½ ft. typhina, Stag's Horn Sumach 4 to 5 ft. 5 to 6 ft. typhina laciniata, Cut-leaved Sumach 2 to 3 ft. saureum, Yellow Flowering Currant 3 to 4 ft.	30 0 10 0 12 5 25 0 30 0 10 0 15 0 25 0 20 0 12 5 25 0
44	cotinus, Mist or Smoke Tree 18 to 24 in. 2 to 3 ft. 3 to 4 ft., specimens. 4 to 5 ft., specimens. glabra, Smooth Sumach 2 to 3 ft. glabra laciniata, Cut-leaved Sumach 1 to 2 ft. 2 to 2½ ft. typhina, Stag's Horn Sumach 4 to 5 ft. 5 to 6 ft. typhina laciniata, Cut-leaved Sumach 2 to 3 ft. saureum, Yellow Flowering Currant 3 to 4 ft. 4 to 5 ft. fasiculatum chinensis 2 to 3 ft.	10 0 12 5 25 0 30 0 10 0 15 0 25 0 15 0 12 5 15 0 12 5 0 1
" " Ribe	cotinus, Mist or Smoke Tree 18 to 24 in. 2 to 3 ft. 3 to 4 ft., specimens. 4 to 5 ft., specimens. glabra, Smooth Sumach 2 to 3 ft. glabra laciniata, Cut-leaved Sumach 1 to 2 ft. 2 to 2½ ft. typhina, Stag's Horn Sumach 4 to 5 ft. 5 to 6 ft. typhina laciniata, Cut-leaved Sumach 2 to 3 ft. saureum, Yellow Flowering Currant 3 to 4 ft. 4 to 5 ft. fasiculatum chinensis 2 to 3 ft. 3 to 4 ft. 5 to 6 ft.	10 0 12 5 25 0 30 0 10 0 15 0 25 0 20 0 20 0
" Ribe	cotinus, Mist or Smoke Tree 18 to 24 in. 2 to 3 ft. 3 to 4 ft., specimens. 4 to 5 ft., specimens. glabra, Smooth Sumach 2 to 3 ft. glabra laciniata, Cut-leaved Sumach 1 to 2 ft. 2 to 2½ ft. typhina, Stag's Horn Sumach 4 to 5 ft. 5 to 6 ft. typhina laciniata, Cut-leaved Sumach 2 to 3 ft. cs aureum, Yellow Flowering Currant 3 to 4 ft. 4 to 5 ft. fasiculatum chinensis 2 to 3 ft. 3 to 4 ft. 5 to 6 ft. floridum, Missouri Black Currant 3 to 4 ft.	10 0 0 12 5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
" Ribe	cotinus, Mist or Smoke Tree 18 to 24 in. 2 to 3 ft. 3 to 4 ft., specimens. 4 to 5 ft., specimens. glabra, Smooth Sumach 2 to 3 ft. glabra laciniata, Cut-leaved Sumach 1 to 2 ft. 2 to 2½ ft. typhina, Stag's Horn Sumach 4 to 5 ft. 5 to 6 ft. typhina laciniata, Cut-leaved Sumach 2 to 3 ft. saureum, Yellow Flowering Currant 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. fasiculatum chinensis 2 to 3 ft. 3 to 4 ft. 5 to 6 ft. floridum, Missouri Black Currant 3 to 4 ft. 4 to 5 ft.	10 0 12 5 25 0 30 0 10 0 15 0 25 0 20 0 12 5 15 0 20 0 12 5 15 0 20 0
" " Ribe	cotinus, Mist or Smoke Tree 18 to 24 in. 2 to 3 ft. 3 to 4 ft., specimens. 4 to 5 ft., specimens. glabra, Smooth Sumach 2 to 3 ft. glabra laciniata, Cut-leaved Sumach 1 to 2 ft. 2 to 2½ ft. typhina, Stag's Horn Sumach 4 to 5 ft. 5 to 6 ft. typhina laciniata, Cut-leaved Sumach 2 to 3 ft. cs aureum, Yellow Flowering Currant 3 to 4 ft. 4 to 5 ft. fasiculatum chinensis 2 to 3 ft. 3 to 4 ft. 5 to 6 ft. floridum, Missouri Black Currant 3 to 4 ft.	10 0 12 5 15 0 1

Rosa	a blanda	Per 1	100
	18 to 24 in	12	50
66	Carolina		
	18 to 24 in	10	00
	2 to 2½ ft	15	00
66	lucida		
	18 to 24 in	12	50
44	multiflora Japonica		
	2 to 3 ft	12	50
44	nitida		
	1 ft	19	50
	2 ft		00
"	rubiginosa, Sweet Brier		
	2 to 3 ft	10	00
	3 to 4 ft	12	00
	5 inch pots	25	00
"	rubrifolia		
	2½ to 3 ft	15	00
"	rugosa, Red		
	18 to 24 in		00
	2 to 3 ft	12	50
46	rugosa alba, White		
	18 to 24 in		50
	2 to 3 ft	19	00
44	Mme. Geo. Bruant, Double White		
	2 year strong		$\frac{00}{00}$
"		30	00
••	setigera, Prairie Rose	40	
	2 to 3 ft	12	50
44	spinossissima, Scotch Rose		
	5 inch pots	40	00
66	Baby Rambler		
	5 inch pots	25	00
	CLIMBING AND PILLAR ROSES		
Rose	e, Baltimore Belle, Double White		
1103	2 ft	12	50
	5 inch pots		00
66	Crimson Rambler		
	2 to 3 ft		00
	7 inch pots	45	00
44	Mad. Plantier		
	2 to 3 ft		$\begin{array}{c} 50 \\ 00 \end{array}$
	5 inch pots	25	UU
66	Philadelphia Rambler		00
	5 inch pots	30	00
64	Pink Rambler		
	5 inch pots	25	00
66	Queen of Prairie, Double Pink		
	2 to 3 ft		50
	5 inch pots	25	00
44	White Rambler		
	5 inch pots	25	00
44	Yellow Rambler	_	
	5 inch pots	25	00

WICHURAIANA AND HYBRIDS

	1	Per 100
Rosa	Wichuraiana, Memorial Rose	10.00
46	5 inch pots	$\frac{10}{25} \frac{00}{00}$
••	Dorothy Perkins 2 to 3 ft	12 50
44	5 inch pots	$25 \ 00$
••	Evergreen Gem 2 to 3 ft	12 50
44	5 inch pots	$\overline{25}$ $\overline{00}$
••	Gardenia 2 to 3 ft	12 50
44	5 inch pots	25 00
	2 to 3 ft	12 50
64	5 inch pots	25 00
	2 to 3 ft	12 50
66	5 inch pots	25 00
	South Orange Perfection 2 to 3 ft	12 50
44	5 inch pots	25 00
••	Universal Favorite 2 to 3 ft	12 50
	5 inch pots	25 00
	ROSES-HYBRID PERPETUAL, Etc	•
	5 and 6 inch pots	25 00
	LIST OF VARIETIES.	
	GRUSS AN TEPLITZ, dark, rich crimson. GEN. JACQUIMINOT, brilliant crimson. MAGNA CHARTA, pink, suffused with carmine. MARGARET DICKSON, white, pale flesh centre. MRS. R. G. SHARMAN CRAWFORD, deep rosy PERSIAN YELLOW, bright yellow. PRINCE CAMILLE de ROHAN, Velvety crimson. ULRICH BRUNNER, brilliant cherry red.	pink.
Rubi	us Canadensis	
Sam	2 to 3 ftbucus aureus, Golden Elder	12 50
Jaiii	2 to 3 ft	12 50
44	Canadensis, Elderberry 2 to 3 ft	10 00
	3 to 4 ft	$\frac{10}{12} \frac{00}{50}$
44	racemosa, Red-berried Elderberry	20 00
Spir	aea Anthony Waterer, Pink Dwarf	_0 00
•	18 to 24 in 2 to 21/2 ft	$\begin{array}{ccc} 10 & 00 \\ 12 & 50 \end{array}$
66	arguta	12 00
44	2 to 3 ft	12 50
-	Billardi, Pink 2 to 2½ ft	10 00
	3 to 4 ft	$\begin{array}{ccc} 12 & 50 \\ 15 & 00 \end{array}$
	6 to 7 ft	20 00
- 66 .	Bumaldi 2 to 21/2 ft	12 50
46	callosa alba, Dwarf White	10 = 5
	18 to 24 in	$\begin{array}{ccc} 12 & 50 \\ 15 & 00 \end{array}$

-		
		Per 100
Spir	aea callosa rosea, Pink 3 ft	10.00
	4 to 5 ft	$\frac{10}{15} \frac{00}{00}$
44	carpinaefolia	
44	3 to 4 ft	12 50
	Douglassi rosea 2 to 2½ ft	10 00
	4 to 5 ft	$\frac{12}{12} \frac{50}{50}$
44	Lindleyana	10.50
46	2 to 3 ft opulifolia, White	12 50
	2 to 3 ft	12 50
	3 to 4 ft	$\begin{array}{cc} 15 & 00 \\ 20 & 00 \end{array}$
	5 to 6 ft	$\frac{20}{22} \frac{00}{50}$
66	opulifolia aurea, Golden Leaf	
	2 to 3 ft	$\begin{array}{ccc} 10 & 00 \\ 12 & 50 \end{array}$
	4 to 5 ft	15 00
	3 to 4 ft., specimens, very heavy	$\begin{array}{ccc} 25 & 00 \\ 30 & 00 \end{array}$
44	paniculata	
	3 to 4 ft	12 50
**	prunifolia, Bridal Wreath	90.00
	3 to 4 ft	$\begin{array}{ccc} 20 & 00 \\ 25 & 00 \end{array}$
	4 to 5 ft., specimens	30 00
11	Reevesii, single	12 50
	3 to 4 ft	$\frac{12}{15} \frac{30}{00}$
	4 to 5 ft	$\frac{19}{25} \frac{00}{00}$
44	Reevesii, double	20 00
	2 to 2½ ft	12 50
44	Regeliana	40 =0
	3 to 4 ft	
44	salicifolia, White	
	4 to 5 ft	$\begin{array}{ccc} 12 & 50 \\ 15 & 00 \end{array}$
**	5 to 6 ftsorbifolia	15 00
	18 to 24 in	12 50
	2 to 2½ ft	
44	Thunbergii, White	~U UU
	2 ft	12 50
66	tomentosa, Pink	
##	2 to 3 ft	12 50
	vaccinifolia 5 to 6 ft	12 50
44	Van Houttei, White	00
	18 to 24 in	
	2 to 3 ft	
	4 to 5 ft., specimens	
8tap	ohyllea bumalda	10 50
	2 to 2½ ft	$\begin{array}{ccc} 12 & 50 \\ 15 & 00 \end{array}$
44	trifoliata	
	4 to 5 ft	15 00
Step	ohanandra flexuosa 2 to 3 ft	12 50
	3 to 4 ft	20 00
	3 to 4 ft., specimens	
Styr	rax Japonica 2 to 3 ft	20 00
	3 to 4 ft., specimens	30 00
	5 to 6 ft., specimens	35 00

7 50

		_
		Per 100
Sym	phoricarpos racemosus, White Snowberry	
	18 to 24 in	$10 00 \\ 12 50$
	3 to 4 ft	15 00
66	vulgaris, Indian Currant	
	2 to 2½ ft	9 00
	2 to 3 ft 3 to 4 ft	$\begin{array}{c}10&00\\12&50\end{array}$
44		12 00
	vulgaris variegatum3 to 4 ft	15 00
Svri	nga Japonica, Japanese Tree Lilac	247 00
0,11	2 to 3 ft	20 00
	3 to 4 ft	25 - 00
44	Emodi	
	2 to 3 ft	$25 \ 00$
46	Josikaea, Violet	
	2 ft	25 - 00
44	oblata	0 = 00
	2 to 3 ft	$25 \ 00$
66	Pekinensis	0= 00
	3 to 4 ft	$\begin{array}{ccc} 25 & 00 \\ 30 & 00 \end{array}$
66	Rothomagensis (Chinensis), Red Persian	
	2 to 3 ft	20 00
	3 to 4 ft	25 - 00
"	villosa, purplish white	
	2 to 3 ft	$20 \ 00$
66	vulgaris, Common Purple Lilac	
	2 to 3 ft	$\begin{array}{ccc} 10 & 00 \\ 12 & 50 \end{array}$
	4 to 5 ft	$\frac{12}{20} \frac{30}{00}$
66	vulgaris alba, Common White Lilac	
	2 to 3 ft	12 50
	3 to 4 ft	15 00
	NEW LILACS	
	White, Red and Purple, Single and Doubl	e
C;	nga Alphonse Lavallee, Double Blue, extra large pa	mialas
Cyri	3 to 4 ft	
"	Chas X, Reddish purple	01 00
	3 to 4 ft	37 50
64	Lovaniensis, Single, Silvery pink	0. 00
	3 to 4 ft	37 50
66	Marie Legray, Dwarf Single White	
	3 to 4 ft	37 50
66	Madame Abel Chatney, Double, Pure White	
	3 to 4 ft	37 50
66	Madame Lemoine, Double White	
	3 to 4 ft	37 50
6.	Senator Volland, Double Rosy red	
	3 to 4 ft	
6.6	Souvenir De Ludwig Spaeth, Single, Dark purplis	
_	3 to 4 ft	37 50
Tam	arix Africana	7 50
	2 to 3 ft	7 50 15 00
44	Gallica	20 00
	2 to 3 ft	7 50
	5 to 6 ft	15 00
66	Janonica nlumosa	

" Japonica plumosa 2 to 3 ft.....

Tam	arix Odessana 2 to 3 ft	Per 100 7 50
66	tetrandra purpurea	. 50
	3 to 4 ft	$\begin{array}{ccc} 10 & 00 \\ 15 & 00 \end{array}$
Vibu	rnum acerifolium, Maple leaved 2 to 2½ ft	25 00
	2½ to 3 ft	$\frac{25}{31} \frac{00}{00}$
"	cassinoides 2 to 2½ ft	25 00 31 00
44	3 to 4 ft	37 50
••	cotinifolium 3 to 4 ft	$\begin{array}{ccc} 25 & 00 \\ 37 & 50 \end{array}$
46	dentatum, Arrow Wood	
	18 to 24 in. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 4 to 5 ft., specimens.	10 00 15 00 25 00 30 00 35 00 30 00
44	5 to 6 ft., spcimens	35 00
•	dentatum Molle 18 to 24 in 2 to 2½ ft 3 to 4 ft 4 to 5 ft	$\begin{array}{ccc} 10 & 00 \\ 12 & 50 \\ 15 & 00 \\ 25 & 00 \end{array}$
44	Japonicum (Sieboldi) 18 to 24 in 6 to 7 ft. heavy	20 00 65 00
66	lantana, Hobble Bush	00 00
	18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft 3 to 4 ft., specimens. 4 to 5 ft., specimens.	$\begin{array}{cccc} 10 & 00 \\ 12 & 50 \\ 20 & 00 \\ 25 & 00 \\ 31 & 00 \\ 35 & 00 \\ 40 & 00 \\ \end{array}$
••	lentago 2 to 3 ft	20 00
66	nudum 18 to 24 in	22 00
44	opulus sterilis, Common Snowball	
	18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	$\begin{array}{ccc} 10 & 00 \\ 11 & 50 \\ 14 & 00 \\ 20 & 00 \end{array}$
44	opulus nanus, Dwarf Snowball	40 #0
is no as a foun natu that any of V part	many parts of the United States and Canada, Box I of hardy, and a low, dwarf and compact plant is resubstitute for it. The Viburnum opulus nanus had to be an excellent substitute for the Box Edging rally of a dwarf habit and will stand a lot of shear it can be kept down to a very small size. It does not flowers and the leaves are smaller than the other valurnum. It is perfectly hardy and can be planted of the United States and Canada.	quired s been It is ing, so of bear rieties
Vibu	rnum oxycoccos (opulus), High Bush Cranberry 2 to 3 ft	15 00 20 00 22 50 20 00

	-
Viburnum plicatum rotundifolium	Per 100
18 to 24 in	$\begin{array}{ccc} 12 & 50 \\ 20 & 00 \\ 22 & 50 \end{array}$
<pre>" prunifolium, Black Haw 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.</pre>	$\frac{44}{50} \frac{00}{00}$
" Sieboldi (See Japonicum)	
" tomentosum 18 to 24 in 3 to 4 ft 4 to 5 ft	20 00
The Viburnum tomentosum is of a similar charact habit to the Viburnum plicatum, but instead of havin of flowers, they are flat headed. In leaf and general gr is about the same as the plicatum, and in fact it is fre mistaken for that variety. It is perhaps a little s grower than the plicatum, and in some respects it is preferred. We have a particularly large and fine stock plant, and call attention to some of the specimen plants we offer.	g balls owth it quently tronger s to be of this
Vitex Agnus Castus, Blue	
2 to 3 ft	$\begin{array}{ccc} 20 & 00 \\ 22 & 50 \end{array}$
Weigela amabilis, Light Pink	
2 to 3 ft. 4 to 5 ft. 5 to 6 ft.	20 00
" arborea versicolor, Pink 2 to 3 ft	12 50
" candida, White	12 30
2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 4 to 5 ft., specimens.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
" Desboisii, Dark pink 2 to 2½ ft	
" Eva Rathke, Crimson 2 to 2½ ft. 3 to 4 ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
" nana variegata	
18 to 24 in. 3 to 4 ft. 4 to 5 ft.	15 00
" rosea, Pink 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	. 15 00
Zanthoxylon Americanum, Prickly Ash 2 to 3 ft	. 19 00
" piperitum	20.00

Evergreens

All of our evergreens are specimens. Every tree is given careful attention and such varieties as Retinisporas, etc., requiring it, are sheared as often as necessary in order to produce a bushy symetrical tree. They are all branched to the ground. We frequently transplant our evergreens and in that way, we get a mass of fibrous roots. In nearly every case, as noted in the catalogue, the trees will be dug with a ball of earth and the ball sewed in burlap. This makes the transplanting of them almost an assured success. Of course, the first cost of these evergreens dug and handled in this way, is more than common, but as the planter has practically no loss with them, he is saving money in the long run. Our stock must not be confused with low priced evergreens rarely transplanted and grown thickly together.

Abies (See also Picea)	Per 100
 Balsamea, Balsam Fir to 5 ft., with ball to 6 ft., with ball " Canadensis (See Tsuga Canadensis)	
" Nordmanniana, Nordman's Silver Fir 3 to 3½ ft., with ball	$\begin{array}{ccc} {\bf 150} & 00 \\ {\bf 200} & 00 \end{array}$
" pectinata, European Silver Fir 2 to 3 ft., with ball	$\begin{array}{ccc} 75 & 00 \\ 100 & 00 \end{array}$
Azalea amoena, Evergreen Azalea 15 to 18 in., 5 inch pots	40 00
Biota (See Thuya)	
Buxus Arborescens, bush form $\begin{array}{cccccccccccccccccccccccccccccccccccc$	350 00
" arborescens, pyramid 2 to 2½ ft., with ball. 3 to 3½ ft., with ball. 4 to 4½ ft., with ball. 5 ft., with ball.	$\frac{175}{315} \frac{00}{00}$
" rotundifolia, pyramids 2 to 2½ ft., with ball	175 00
" Handsworthii 3 to 4 ft	200 00
" suffruticosa, Box Edging . 4 to 5 in	5 00
Calluna vulgaris, Heath 6 in. pots	35 00
Crataegus pyracantha Lalandi 2 to 3 ft., 5 inch pots	

Cupressus Lawsoniana Allumi, Blue Cypress		
3 to 4 ft., with ball		
	5	00
	5	00
9 to 12 in., 5 inch pots	7	50
		00 00
" communis Waukegan trailing 12 to 18 in	0	00
		00 00
" Hibernica, Irish Juniper 2 to 2½ ft	5	00
	5	00
" Japonica aurea, Golden Juniper 3 to 3½ ft., with ball	5	00
" Sabina	0	00
12 to 18 in	5 5	00 00 00 00
" sinensis argentea variegata 6 to 6½ ft., specimens, with ball	0	00
18 to 24 in 3	5	00 00 00
" stricta, Pyramidal Juniper 12 to 13 in 3 18 to 24 in 5 2 to 3 ft., with ball 17 3 to 4 ft., with ball 27	5555	00 00 00 00 00 00
Visitors to our nurseries have been greatly interested pleased with this Juniper, which has not been found in other nursery. The habit is like a sheared pyramidal tree The foliage is of a bright green color, very compact and so what of the character of a Chinese Juniper. It makes excellent tub plant, or for use where an evergreen of for character is required.	a bom	ny ox. ne- an
"Virginiana glauca, Blue red Cedar 2 to 2½ ft., with ball	00	00
Kalmia angustifolia, Narrow-leaved Mt. Laurel 2 to 2½ ft. 10 2½ to 3 ft. 12	00	00
" latifolia, Broad-leaved Mt. Laurel		
2 to 2½ ft		
12 to 18 in	0	00
Picea alba, White Spruce 2 to 3 ft., with ball	0	00

Pice	a Englemanni, Englemann's Blue Spruce	Per 1	00
	3 to 3½ ft., with ball	375	0(
66	excelsa, Norway Spruce		
	12 to 18 in	15 20	
	2 to 3 ft., with ball	45	00
	3 to 4 ft., with ball	$\begin{array}{c} 75 \\ 125 \end{array}$	00
	5 to 6 ft., with ball	225	ŏ
44	excelsa inverta	-	
	$3\frac{1}{2}$ to 4 ft., specimens, with ball	185	
	$5\frac{1}{2}$ to 6 ft., specimens, with ball	315	0
	$6\frac{1}{2}$ to 7 ft., specimens, with ball		
66	nigra Doumetti	100	V
	$2\frac{1}{2}$ to $3\frac{1}{2}$ ft., with ball	220	0
66	Orientalis, Oriental Spruce		Ĭ
	3 to $3\frac{1}{2}$ ft., with ball	250	0
44	pungens, Koster's Blue Spruce, Selected Blue		
	1½ to 2 ft., with ball	250	0
	$2\frac{1}{2}$ to 3 ft., with ball	625	0
ini	us cembra, Swiss Stone Pine		
	2 to 2½ ft., with ball	125	0
•	3 to $3\frac{1}{2}$ ft., with ball	160	0
**		200	U
	excelsa, Himalayan Pine 3 to 4 ft., with ball	200	0
	4 to 5 ft., with ball	$\tilde{2}\tilde{2}\tilde{5}$	ŏ
44	strobus, White or Weymouth Pine		
	18 to 24 in	20 35	
	3 to 4 ft., with ball	60	0
46	6 to 8 ft., with ball	2 50	0
	strobus nana, Dwarf White Pine 12 to 18 in. broad, with ball	175	0
44	sylvestris, Scotch Pine		
	$2\frac{1}{2}$ to 3 ft., with ball	40	
	$3\frac{1}{2}$ to 4 ft., with ball	$\begin{array}{c} 65 \\ 125 \end{array}$	0
	5 to 6 ft., with ball	190	C
yr	acantha (see Crataegus Pyracantha)		
leti	inispora eriocoides		
66	12 to 18 in	20	(
••	filifera 2 to 2½ ft., with ball	100	(
	$2\frac{1}{2}$ to 3 ft., with ball	125	0
		$\frac{150}{200}$	
	5 to $5\frac{1}{2}$ ft., with ball	250	(
66	filifera aurea	10=	
	$1\frac{1}{2}$ to 2 ft., with ball	$\frac{125}{225}$	
64	Lycopoides		
	2½ to 3 ft., with ball	175	(
64	obtusa compacta	40	
	18 to 24 in., with ball	$\frac{40}{100}$	
	2½ to 3 ft., with ball	150	(
	$3\frac{1}{2}$ to 4 ft., with ball,	200	,
44			
44	pisifera	400	(
44	pisifera 6 to 7 ft., specimens, with ball 8 to 9 ft., specimens, with ball	500	(
44	pisifera 6 to 7 ft., specimens, with ball		(

		-
Retinispora pisifera aurea, Golden		Per 100
2 to 2½ ft., with ball. 2½ to 3 ft., with ball. 3 to 3½ ft., with ball. 4 to 4½ ft., with ball. 5 to 5½ ft., with ball. 6 to 6½ ft., specimens, with ball. 7 to 7½ ft., specimens, with ball. 8 to 8½ ft., specimens, with ball. 9 to 9½ ft., specimens, with ball.	• • •	$\begin{array}{cccc} 65 & 00 \\ 85 & 00 \\ 100 & 00 \\ 200 & 00 \\ 300 & 00 \\ 400 & 00 \\ 500 & 00 \\ 600 & 00 \\ 700 & 00 \end{array}$
" plumosa		
18 to 24 in	• • •	$\begin{array}{ccc} 50 & 00 \\ 65 & 00 \\ 100 & 00 \\ 200 & 00 \\ 400 & 00 \end{array}$
" plumosa aurea, Golden		
12 to 18 in. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft., with ball. 3 to 4 ft., with ball. 4½ to 5 ft., with ball. 6 to 6½ ft., with ball. 7 to 7½ ft., with ball. 8 to 8½ ft., with ball.		35 00 50 00 65 00 85 00 100 00 200 00 400 00 500 00 600 00
" squarrosa Veitchii		0= 00
12 to 18 in. 18 to 24 in. 2 to 2½ ft. 2¼ to 3 ft., with ball. 3¼ to 4 ft., with ball. 4 to 5 ft., with ball.	• • • •	35 00 50 00 65 00 85 00 100 00 200 00
" squarrosa Veitchii aurea 2½ to 3 ft., with ball		250 00
Rhododendron Catawbiense		195.00
18 to 24 in 2 to 2½ ft		
<pre>4 Maximum 2½ to 3 ft</pre>		$\begin{array}{ccc} 125 & 00 \\ 200 & 00 \end{array}$

RHODODENDRONS

Hybrids, Assorted Varieties

We have the following varieties in the various sizes as indicated. They were transplanted last spring and all will carry a good ball of earth. They are fairly well set with flowered buds.

	Per 10	00
Abraham Lincoln, crimson 18 in	100 (00
Album Elegans, white 2½ to 3 ft	185 (00
Album Grandiflorum, white 2 to 2½ ft	125 (00
Caractacus, crimson 18 to 24 in	100 (00 00
Everestianum, rose 18 to 24 in		
General Grant, soft rosy red 18 in.	100	00
Parson's Gloriosa, rosy white 2½ to 3 ft	185	00

	Purpureum Elegans, purplish rose	Per	100
	18 to 24 in	100	00
	Purpureum Grandiflorum, purple 18 in.	100	00
ŧ	President Lincoln, lilac rose		
	18 to 24 in	$\frac{100}{185}$	00
	Roseum Elegans, pink 18 to 24 in		
Taxu	s baccata pendula, Weeping English Yew		
46	4 to 4½ ft., with ball	200	00
	12 to 18 in	65	00
44	2 to 3 ft., with ball	185	00
	$2\frac{1}{2}$ to 3 ft., with ball	185	00
Thuy	3 to 3½ ft., with ball	250	00
1	1 ft 2 to 2½ ft., with ball	31	00
44	occidentalis, American Arbor Vitae	75	00
	3 to 4 ft., with ball		00
	4 to 5 ft., with ball	125	00
44	7 ft., with ball occidentalis George Peabody, Golden Arbor Vitae	187	00
	3 to 3½ ft., with ball		
	4 to $4\frac{1}{2}$ ft., with ball. 6 to $6\frac{1}{2}$ ft., with ball.	435	00
	7 to $7\frac{1}{2}$ ft., with ball		
66	9 to $9\frac{\pi}{2}$ ft., with ball	700	00
••	occidentalis globosa, American Globe Arbor Vitae 12 to 18 in 18 to 24 in., with ball	30	00
44	occidentalis pyramidalis, Pyramidal Arbor Vitae		
	2 to $2\frac{1}{2}$ ft., with ball		00
	4 to 5 ft., with ball	$\frac{125}{150}$	00
	6 to 7 ft., with ball		
46	occidentalis spiralis	105	00
66	3 to 4 ft., with balloccidentalis Vervaeneana, Golden Variegated	120	00
	18 to 24 in	$\begin{array}{c} 60 \\ 100 \end{array}$	
	3 to 4 ft., with ball		
"	occidentalis Victoria, Silver Tipped 4½ to 5 ft., with ball	250	00
44	(Biota) Orientalis nana aurea, Berckmans type	£0U	00
	12 to 18 in		00
66	plicata, Fern-leaved	00	00
	12 to 18 in	30 50	00
44	Siberica, Siberian Arbor Vitae	90	00
	12 to 18 in	37 43	00
	2 to $2\frac{1}{2}$ ft., with ball	94	00
sua:	a canadensis, Hemlock	125	UU
9	$2\frac{1}{2}$ to 3 ft., with ball	100	
		150 187	00
/	5 to 6 ft., with ball	250	00
ucca	a filamentosa, Adam's Needle 4 year	7	00
	5 year	8	00

Vines and Climbers

For Fall planting, our "pot-grown vines" are much more desirable than field grown stock. They have been established in pots all Summer, they are heavily rooted, and are less likely to "heave out" by frost in the Winter. We introduced this method of growing vines many years ago and customers now prefer it to field-grown stock for Fall work. When shipping, we knock them out of the clay pots and send in paper pots.

Askintida annuta	Per 100						
Actinidia arguta 3 to 4 ft							
5 inch pots	25 00						
Akebia quinata	10 50						
2 to 3 ft	$\begin{array}{cccc} & 12 & 50 \\ & 25 & 00 \end{array}$						
Ampelopsis Veitchii, Japan or Boston Ivy							
2 year 5 inch pots	$\begin{array}{cccccccccccccccccccccccccccccccccccc$						
" Englemanni	20 00						
2 year	10 00						
3 year	12 50						
5 inch pots	25 00						
" Virginica (quinquefolia), Virginia Creeper							
12 to 18 in	$\begin{array}{cccc} & 7 & 50 \\ & 25 & 00 \end{array}$						
Bignonia radicans, Trumpet Creeper	25 00						
2 to 3 ft	10 00						
3 to 4 ft	12 50						
5 inch pots	25 00						
" radicans grandiflora							
2 to 3 ft	20 00						
Celastris articulatus, Japanese Staff Vine							
2 to 3 ft	12 50						
5 inch pots	$\begin{array}{cccccccccccccccccccccccccccccccccccc$						
" punctatus							
5 inch pots	25 00						
" scandens, Staff Vine							
2 to 3 ft							
6 inch pots	25 00						
Clematis paniculata	40 50						
2 and 3 year	$\begin{array}{cccccccccccccccccccccccccccccccccccc$						
" Virg!niana, Virgin's Bower	20,00						
12 to 18 in	10 00						
5 inch pots	1. 25 00						
CI EMATIC HYPRIDS							
CLEMATIS HYBRIDS							
2 and 3 year, pot grown	45 00						

LIST OF VARIETIES

GYPSEY QUEEN, dark blue. HENRYII, white. JACKMANNI, purple. MME. ED. ANDRE, red. SIEBOLDII, lavender.

Decumaria barbara	Per 100
5 inch pots Dioscorea batatas, Chinese Yam	25 00
5 inch pots Dolichos Japonicus	35 00
5 inch pots Euonymus radicans, Green-leaved	
6 to 12 in	$\begin{array}{cc} 7 & 50 \\ 25 & 00 \end{array}$
8 to 12 in	7 50
12 to 18 in	$10 \ 00 \ 12 \ 50 \ 25 \ 00$
Hedera Helix, English Ivy 5 inch pots	25 00
Humulus lupulus, Hop Vine	_0 00
18 to 24 in	$\begin{array}{ccc} 12 & 50 \\ 30 & 00 \end{array}$
Jasminum nudiflorum, Yellow Jessamine 5 inch pots	35 00
" officinale, White Jessamine	00 00
5 inch pots	35 0 0
Lonicera brachypoda aurea, Golden Honeysuckle 2 to 3 ft	9 00
5 inch pots	25 00
" Halleana, Hall's Honeysuckle 2 to 3 ft	$\frac{9}{25} \frac{00}{00}$
" Punicea	20 00
2 to 2½ ft " Red Coral	15 00
2 to 3 ft	$\begin{array}{cc} 12 & 50 \\ 30 & 00 \end{array}$
" sinensis, Chinese Honeysuckle	0.00
2 to 2½ ft	$\begin{array}{cc} 9 & 00 \\ 25 & 00 \end{array}$
" Sullivanti 2 to 3 ft	20 00
" Glauca 2 to 3 ft	20 00
Lycium barbarum, Matrimony Vine	9 00
2 to 3 ft	25 00
Pueraria Thunbergiana, see Dolichos Japonicus	
Roses, Climbing, Creeping and Pillar (See page 22)	
Tecoma redicans (Sée Bignonia radicans, page 33)	
Vitis Cordifolia 2 to 3 ft	10 00
" heterophylla variegata 3 to 4 ft	12 50
5 inch pots	$\overline{25}$ $\overline{00}$
Wistaria frutescens, American Glycine 6 inch pots	50 00
" sinensis, Chinese Blue Wistaria	20 00
3 to 4 ft	25 00 50 00
" sinensis alba, Chinese White Wistaria	75 00
7 inch pots	75 00

Hardy Herbaceous Perennials, Ornamental Grasses and Ferns

The following is a list of stock we can supply in quantity. In addition, our immense collections contain many choice kinds not here mentioned.

Send us your list of wants and let us quote upon them.

We aim to grow only first class stock and send out neither old clumps of low vitality nor microscopic divisions, but young, vigorous plants that will give immediate results.

Our standard, where kind will allow, is one year, field grown.

PRICES

All orders, regardless of quantities, will be billed at the rate quoted per 100; but single plants will not be furnished at less than 10 cents each.

	Per 100	
Achillea Eupatorium, yellow, July		
" Millefolium roseum, rose, July to Sept		
" Ptarmica plena, "The Pearl" white, double, July.	6 00	
" tomentosa, golden yellow, July	. 6 00	
Aegopodium podagraria variegata, variegated foliage.	. 6 00	
Agrostemma coronaria, crimson, June		
Ajuga genevensis, blue, May		
" reptans, blue, May	$\begin{array}{cccc} 5 & 00 \\ 6 & 00 \end{array}$	
Alyssum, argenteum, yellow, May " saxatile compactum, golden yellow, May		
Amsonia salicifolia, blue, June	. 7 00	
" Tabernae montana, clear blue, June	7 00	
Anchusa Italica,, dark blue, June to Sept	7 00	
Anemone Japonica alba, white, Sept. to Nov	7 00	
" Japonica rosea, rose, Sept. to Nov		
" Japonica, "Queen Charlotte," La France pink, Sept		
to Nov.		
" Japonica, Whirlwind, white, Sept. to Nov	. 7 00	
" Japonica Rubra, Brilliant, Sept. to Nov	. 7 00	
" sylvestris, white	. 8 00	
Anthemis tinctoria, yellow, July	6 00	
" tinctoria pallida, white, July	. 6 00	ä
Anthericum liliastrum, white, June	. 6 00	
Aquilegia Canadensis, scarlet, May and June	. 7 00	
" caerulea, blue and white, May" " chrysantha, yellow, June	$\begin{array}{cccc} . & 7 & 00 \\ . & 7 & 00 \end{array}$	
" flabellata nana alba, large white, June	. 7 00	
" Skinneri, red and yellow, May	7 00	
" vulgaris, blue and purple, May	6 00	
" vulgaris fl. pl., various, May	7 00	
" vulgaris alba, white, May		
Arabis albida, white, April	. 6 00	
Armeria maritima alba, pink, May	. 8 ()()	
" maritima splendens, pink, May		
" plantaginea, pink, May	. 7 00	

P	er 1	00
Artemisia Abrotanum, "Old Man"	6	00
" pontica, "Old Woman," silver foliage	5	00
" Dracunculus, "Tarragon"	7	00
" Stellariana, white and woolly leaves	7	00
Asclepias tuberosa, orange, July	8	00
Aster alpina, bright purple, June and July	6	00
amenus eregans, ngnt blue, Sept	8	00
amethystinus, large pare blue, Sept	8	00
Novae Anghae, purple		00
Novae-Anghaea Tosea, Tose, Sept		00
" Mrs. F. W. Raynor, rose, Sept" " Novi-Belgii Robert Parker, pale blue, Sept	8	00
" Novi-Belgii St. Brigid, lavender, Sept	8	00
" Novi-Belgii Top Sawyer, lavender, Sept	8	00
" Novi-Belgii White Queen, white, Sept	8	00
" Pyrenaicus, white, July and August	8	00
" Tataricus, light purple, late fall	6	00
Baptisia Australis, blue, June	8	00
Belamcanda Chinensis, red orange, Aug. to Sept	5	00
Bellis perennis, "English Daisy," various colors	4	00
Betonica orientalis, pink, July	8	00
" rosea, dwarf, pleasing pink, July	8	00
Bocconia cordata, buff, June to August	8	00
Boltonia latisquama, pale pink, Aug. to Sept	6	00
Campanula carpatica, blue, July to Sept	8	00
" carpatica alba, white, July and Sept	8	00
" glomerata, blue, June	8	00
" gradis, blue, July	8	00
" latifolia macrantha, blue, June	8	00
" medium "Canterbury Bells," blue, May and June	8	00
" medium alba, white, May, June	8	00
" medium calycanthema, blue, May, June	8	00
" persicifolia, blue, June and July	8	00
" persicifolia alba, white, June and July	8	00
" pyramidalis, blue, August	8	00
" rotunifolia, light blue, June	7	00
Cassia Marilandica, yellow, July and August	6	00
Centaurea dealbata, yellow, Aug. and Sept	8	00
" mastocophala, yellow, July	8	00
" montana, blue, June and July	8	00
" nigra variegata, golden yellow, variegated foliage.	8	00
Cerastium tomentosum, Mouse Ear, white, April and		
May	6	00
Clematis Davidiana, blue, August	8	00
" recta, white, July	8	00
Convallaria majalis (Lily of the Valley), white, spring,		
clumps	15	00
Coreopsis lanceolata grandiflora, golden yellow, summer	6	00
" rosea, rose, Sept. and Oct	6	00
" senifolia, yellow, July	6	00
Coronilla varia, pink, June to Aug	6	00
Delphinium Chinense, Chinese Larkspur, blue and white,		
June to August	8	00
" elatum, English Hybrids, shades of blue, June to		
Aug.		00
" formosum, Indigo, July	8	00
Dianthus barbatus, Sweet William, many colors, May	_	
and June		00
" plumarius, double, May and June	8	00
"Her Majesty, double white, May and June	8	00
" Lord Lyons, deep pink, May and June	8	00

and the second s		-
I	Per :	100
Dianthus Mrs. Sinkins, white, May and June	8	00
" Perpetual Snow, white, all summer	8	00
" variabilis, white, maroon mark, May and June	8	00
Dicentra formosa, pink, July and Aug	8	00
" spectabilis, pink, April and May	8	00
Dictamus fraxinella, red, June	15	00
" fraxinella alba, white, June	15	00
Digitalis grandiflorus, yellow, June to July	8	00
" lanata, greyish white, June	8	00
" purpurea, purple, May and June	8	
" purpurea alba, white, May and June	8	
Doronicum plantagineum excelsum, yellow, April to June	8	00
Echinacea purpurea, pink, July	8	00
Epimedium alpinum, pink, April	10	00
" Musschianum, rosy red, April	10	00
" Niveum, white, April	10	00
Erigeron alpinus, purple, July	8	00
Eryngium amethystinum, blue, July	8	00
Eupatroium ageratoides, white, Sept		00
Euphorbia corollata, white, Sept	8	00
		00
Funkia caerulea, blue, July	-	
aurea variegata, variegateu foliage	8	
corditona, blue, August	8	
Japonica, blue, August	8	00
ianchona, blue, buty	6	00
ovata marginata, variegateu ionage	8	00
" subcordata grandiflora, white, August	10	00
" undulata variegata, white foliage	8	00
Gaillardia grandiflora, yellow and crimson	6	00
" grandiflora compacta, yellow and crimson, July to		
Sept	6	00
Geranium pratense, purple, May	8	00
" Richardsoni, white, May	8	00
" sanguineum, red, June to Sept	8	00
Geum coccineum, scarlet, June and July	8	00
Gypsophila cerastoides, white, June	8	00
" paniculata, "Baby's Breath," white, July and Aug.	8	
" repens, white, May to July	8	
Helenium autumnale superbum, "Sneezewort," clear yel-	_	
low, August	6	00
" grandicephalum striatum, yellow striped with		•
brown, August	6	00
" Hoopesii, orange, May	8	
Helianthus decapetalus multiflorus Soliel d'Or, double	0	00
yellow, Aug. and Sept	8	00
" doronicoides, yellow, July and August		00
" giganteus, yellow, August and Sept		00
" laetiflorus, yellow, August and Sept		00
" maxima, yellow, Aug		00
" Maximilliana, yellow, Sept. and Oct		00
" mallie vollow August		-
monis, yenow, August		00
orgyans, yenow, September		
rigidus wiiss weilish, yellow, August	6	00
Heliopsis Pitcheriana, orange, June to August		00
Hemerocallis Dumortierii, orange, June		00
nava, remon yenow, June		00
Idiva, bronze, August		00
ruiva ii. pi., bronze, double, August		00
ruthans, brange, May and June		00
indibelgii, yellow, July and August	8	00
Heuchera sanguinea, red, May	4	00

	Pe	r 1	00
Hibiscus Crimson Eye	 •	6	00
Hollyhocks, double, separate colors, June to August.			
Hyacinthus candicans, white, August		8	00
Iberis sempervirens, white, April		6	00
Inula Helenium, yellow, July			
Iris Cengialti, deep lavender, May and June		6	00
" cristata, light blue, April		5	00
" florentina, white, May			00
" Germanica, best assortment of varieties		6	00

LIST OF IRIS GERMANICA

Coelestine, lavender
Jewell, dwarf, dark purple
Josephine, purple
Lady Alice, lavender and purple
Lady Stumpp, blue and lavender
La Tendre, buff and purple
Mad. Chereau, lavender and white
Queen of May, pink
Silver King, white
Yolande, deep purple

·		
Iris laevigata (Kaempferi) Japanese, best assortment		
of varieties, July	15	00
" pallida speciosa, indigo, May	6	00
" prismatica, white, tinted various colors, June	8	
" pumila, various, April		
" Siberica orientale, indigo blue, June		00
" spectabilis, blue, June	5	00
" stenophylla, blue, June	6	00
" tectorum, lavender, June		00
Lamium purpureum variegatum, pink, May		00
Lathyrus grandiflorus, pink and white, June to August.		00
Lavandula vera, lavender, July and Aug		00
" spica, lavender, July and August		00
Llatris pycnostachia, purple, August and Sept		00
" spicata, purple, Aug. and Sept		00
Lilium candidum, "Annunciation Lily," white, June	8	00
" auratum, Gold-banded of Japan, white spotted, July	10	00
" elegans, yellow, July and August		00
" speciosum album, white, August and Sept		
" speciosum roseum, rose, August and Sept		
" superbum, orange red, July and August		00
" tigrinum splendens, "Tiger Lily," orange spotted		
August		
Linum perenne, blue, June	6	
Lobelia cardinalis, scarlet, Aug. and Sept	. 8	
Lotus corniculatus, yellow, June to Oct		
Lychnis chalcedonica, scarlet, July		
" Flos-cuculi, red, May	6	-
" Flos-Jovis, scarlet, May		
" viscaria splendens, red, July		
Lysimachia clethroides, white, July to Sept	. 6	
" verticillata, yellow, July	. 6	
" vulgaris, yellow, August		
Lythrum salicaria, purple, June and July		
" Japonicum elatum, purplish red, June and July	. 6	00
" roseum superbum, purple, June and July	. 8	
Mentha crispa, "Crested Mint"		
" viridis, "Spearmint"	. 8	00

MEEHAN'S MALLOW MARVELS.

The most remarkable creation of the day. Absolutely hardy in Canada. Thrives as well there as it does in the South. A plant for all sections of the country. Flowers in all shades of colors, ten inches across. Plants labeled to color as they flower. Every plant sold true to color. See full description on back cover of catalogue.

Prices for strong two-year old roots.		
F	er 1	100
Crimson Marvel, shades of Crimson		
Red Marvel, shades of Red		
White Marvel		
Pink Marvel, shades of Pink	00	00
Monarda didyma splendens, scarlet, Aug. and Sept	6	00
" fistulosa alba, white, Aug. and Sept		00
nstuiosa purpurea, purpie, Aug. and Sept		00
" mollis, pink, Aug. and Sept	10	00
Myosotis palustris semperflorens, "Forget-me-not," blue,		
April and May	8	00
Nepeta Glechoma variegata, blue, April and May	4	00
Oenothera Missouriensis, yellow, July and Aug	6	00
" speciosa, large white, June and July	6	00
" Youngii, yellow, June to Sept	6	00
Opuntia Rafinesqui, "Cactus," yellow, June	8	00
Pachysandra terminalis, Evergreen, whitish, May	7	0.0
Paeonia Moutan, Tree Paeonia	75	00
" Festiva Maxima, pure white. Very large	22	0.0
" officinalis alba fl. pl., early white	15	
officinalis rubia ii. pi., earry crimson	15	
" sinensis. Fine assortment of varieties	14	00

LIST OF VARIETIES.

Alba plena, sweet white
Duke of Wellington, yellowish white
Edulus superba, violet rose
Faust, lilac pink
Grandiflora rosea, light rose
Jean d'Arc, white
Magnifica, white, tinged with red
Modest Guerin, rosy purple
Nobilissima, very fine, large, bright deep pink, silvery border
Odorata, yellowish white
Pulcherima alba, pure white
Queen Victoria, white rose
Sapho, dark red
Thorbecki, pale pink, centre deep pink

Papaver nudicaule, white	
" nudicaule, yellow	8 00
" nudicaule, orange	8 00
" orientale, crimson, June	8 00
Passiflora incarnata, light blue, Aug. and Sept., 4 in. pots	8 00
Pentstemon barbatus hybridus, various, June	6 00
" diffusus, blue, June	6 00
" digitalis, white, July	6 00
Phlox amoena, pink, April	5 00
" decussata, best assortment of varieties	7 00

LIST OF PHLOX DECUSSATA

Aurora Borealis, orange red, purple centre Carran de Ache, rosy carmine Coquelicot, fine pure scarlet, with deep carmine eye Champs Elysees, rich purplish crimson Epopee, violet, bright fiery centre Eugene Danzanvilliers, lilac, shading white Gen. Chanzy, salmon scarlet Independence, large pure white La Vagne, beautiful combination of rosy pink and lavender L'Evenement, salmon pink L'Esperance, bright lilac Mad. P. Langier, bright red, vermillion centre Princess Louise, white, small pink eye Queen, pure white Richard Wallace, white, crimson centre Terre Neuve, lilac, crimson centre William Robinson, tall, salmon pink

ı .	er 100
Physostegia denticulata, lilac, July and August	6 00
" Virginica, lilac, Aug. and Sept	6 00
" Virginica alba, white, Aug. and Sept	8 00
Plantago maxima, white, July	8 00
" grandiflora album, white, July to Oct	8 00
" Mariesii, blue, dwarf, July to Oct	8 00
Platycodon grandiflora, blue, July to Oct	8 00
Polemonium reptans, blue, May	6 00
" Richardsoni, blue, May	6 00
Polygonum cuspidatum, white, August, Sept	6 '00
Primula polyanthus, varius, April	8 00
Pyrethrum Balsamita, fragrant foliage	6 00
" roseum, shades of pink and red, May and June	8 00
" uliginosum, white, Aug. and Sept	6 00
Ranunculus acris fl. pl., yellow, May and June	5 00
Rudbeckia fulgida, golden yellow, July and Aug	$\frac{6}{3}$ 00
" laciniata Golden Glow, yellow, Aug. and Sept	$\begin{array}{ccc} 6 & 00 \\ 0 & 00 \end{array}$
newmann, golden yellow, July and Aug	$\frac{6}{6}$ 00
sub-tomentosa, goiden yenow, July and August	$\begin{array}{ccc} 6 & 00 \\ 8 & 00 \end{array}$
Ruta graveolens	8 00
Salvia azurea grandiflora, blue, Aug	8 00
" nutans, blue, June and July	4 00
Santolina incana	$\frac{1}{6} \frac{00}{00}$
Saponaria officinalis, pinkish white, Aug. and Sept	6 00
" ocymoides, white, May and June	6 00
Sedum album, Stonecrop, white, Aug. and Sept	5 00
"Kamptschaticum, yellow, July and Sept	6 00
" Hispanicum, pink, June and July	6 00
" hybridum, yellow, July and Sept	6 00
" sexangulare, yellow, June and July	5 00
" spectabilis, pink, Aug. and Sept	8 00
Sisyrinchium Bermudianum, blue, May	5 00
Spiraea astilboides, white, May	8.00
" filipendula fl. pl., white, May	8 00
" Japonica, white, May	8 00
" lobata-venusta, pink, June	8 00
" multiflora compacta, white, May and June	8 00
" palmatum, pink, June	8 00
" ulmaria alba plena, double white, June and July	6 00

1	er 1	100
Statice latifolia, lavender, August		00
" Gmelini, lavender, August		0.0
Stokesia cyanea, blue, July to Sept		0.0
Thalictrum adiantifolium, handsome foliage		00
" aquilegifolium roseum, pink, June		00
ulaucum, nanusome ronase		00
Thermopsis Caroliniana, yellow, June		00
Thymus Serpyllum, pink, May and June "Serpyllum splendens, pink, May and June		00
" Serpyllum variegata, golden variegata		00
" vulgaris, pink		00
Tradescantia Virginica, blue, May to July	_	00
" Virginica alba, white, May, July		0.0
" Virginica purpureum, purple, May to July	6	0.0
Tritoma uvaria Express, coral and yellow, August	8	00
" uvaria grandiflora, red and yellow, August	8	00
" uvaria Pfitzeri, coral, July to Oct	8	00
" uvaria Tuckii, brown red, June to Aug		00
Valeriana officinalis, pinkish, May and June		00
Vernonia Jamesii, purple, Aug. and Sept	8	00
Veronica candida, silvery foliage, blue flowers, June		0.0
and July	6	00
circaeoides, bine, June	6	00
" Hendersoni (longifolia subsessilis), blue, August " Montana, blue, June and July	8	00
" teucrium, blue, June		00
Viola, "Californian"		00
" odorata Blue "Sweet Violet," April and May		00
" odorata White "Sweet Violet," April and May		00
" odorata "Czar," blue, April and May		00
HARDY FERNS		
Aspidium acrostichoides, "Christmas Fern	e	00
" cristatum, "Crested Shield Fern"		00
" marginale, "Marginal Fern"		00
" spinulosum		00
" spinulosum" "Thelyptera, "Lady Fern"		00
Aspienium angustifolium, Narrow-leaved Spieenwort.		00
Onoclea sensibilis, "Sensitive Fern"	6	00
Onoclea sensibilis, "Sensitive Fern"	6	
Osmunda cinnamomea, "Cinnamon Fern"		00
" Claytoniana, "Flowering Fern"		00
" regalis, "King Fern"		00
Polypodium hexagonopterum		00
" vulgare, "Rock Polypod"		$\frac{00}{00}$
rteris aquinna, Brake or Braken	9	00
HARDY GRASSES		
Anunda danay Ciant Bood	0.5	0.0
Arundo donax, Giant Reed		
Calamagrostis stricta variegata	Ω Ω	00
Eulalia Japonica, False Pampas Grass		00
" Japonica gracillima		00
" Japonica variagata, green and white striped		00
"Japonica Zebrina, green barred with bronze, yellow	15	0.0
Uniola latifolia, a pretty grass with plumes, useful for		
vases		0.0

Nurserymen's Supplies The Best Nursery Spade

Either Square or Taper Blade



D Handle, Double Strap, Reinforced Nursery Spade. Weight, 91/4 lbs.

We have experimented with a number of different makes of nursery spades, but find this to be the strongest, best and most durable on the market. We have been using this spade for a number of years, and it will stand more hard work than any other make. It is strapped full length of handle, both back and front, and half way up it has double straps, strengthening it in what otherwise would be its weakest parts. When ordering state if straight or taper blade is wanted. \$1.50 each; \$17.50 per doz.

Dig Ezy" Nursery Hoe

For general nursery purposes and particularly for hoeing where plants are set close in nursery rows and the soil is

light, there is no tool equal to the "Dig Ezy" hoe. It is not an experiment, as this hoe has been in use in nurseries for some time. For use among small fruits, cuttings and herbaceous plants, it is unquestionably the best tool for the purpose. It is made of the best material, double riveted and balanced exactly right. Blades are 138 and 3½ inches wide.

Price, 65c. each; \$5.50 per dozen.

THE HILLE OF

___() MEDMA (9)

Field or Carden Hoe

In the North this pattern is claimed as the standard field and garden hoe. It is of medium weight, nicely constructed, and is hung in correct balance. For general purposes this is the best hoe. They are made of the best material and will outwear two or three ordinary grades of hoes. The blade is 8 inches wide. After trying different makes of hoes, we have found it economy to use this one in our own nurseries. Price, 55c. each; \$6.00 per dozen.

(C) Taur Links (C)

Handled Eye Hoe

In new ground where there are lots of sprouts and roots, and also in rough clay soil, this pattern of hoe is particularly desirable. It is of a medium weight, and made extra heavy and strong throughout to stand heavy work. The blades are 4 inches wide. Price, 60c, each; \$6.50 per dozen.





Raffia

The **Red Star** Brand of Raffia is a favorite among nurserymen. It is so well adapted for their use that a majority of them will use no other brand.

It is of a good, even, dependable grade and guaranteed quality. Strands are of good length, strength and color, also soft and pliable. By guaranteed quality we mean that quality must be first-class or we will replace any that may prove inferior. You assume no risk whatever.

Pruning Shears, Budding and Pruning Knives

The shears and knives offered, excepting the "Empire," are the celebrated "Maher & Grosh" make, which is sufficient guarantee of their excellence. No better knives are made. All blades are guaranteed "razor steel" and have been thoroughly tested.

Bear in mind, our prices are for the goods POSTPAID at your risk. If

you wish them by registered mail add eight cents to your order.

PRICES INCLUDE POSTAGE

Budding Knife "C," 25c. each, 6 for \$1.30 Stationary blade. High temper, equal to any razor.

Pruning Shears "F," \$1.00 each, 6 for \$5.75

This is a forged steel pruner, patent spring of wonderfully easy but powerful working capacity. There is not a stronger or better pruning shear on the market. It will out-wear two of any other style. The best is the cheapest in the end.

NURSERYMEN'S SUPPLIES-Continued

Fruit Seeds

While fruit seeds this year are rather scarce, and prices somewhat high, we have been able to arrange for our usual supply of the following seeds, so that we can quote the following prices, which, in view of the conditions, are very reasonable:

- Apple, French Crab (ready about Feb. 15th).—40c. per lb., 1 bu. at \$13.00, 3 bus. at \$11.50 per bu., 5 bus. at \$10.50 per bu., 10 bus. and over at \$9.50 per bu.
- Peach Pits (Tenn. Natural).—40c. per lb., \$1.75 per bu., 25 bus. and over at \$1.60 per bu.
- Mahaleb Cherry (ready now).—40c. per lb., \$17.00 per bu., 3 bus. and over \$16.00 per bu.
- Pear, French (ready about Feb. 15th).—\$1.50 per lb., 5 lbs. at \$1.25 per lb., 10 lbs. and over at \$1.00 per lb.
- Quince (ready about Feb. 15th).—\$1.50 per lb., 5 lbs. at \$1.25 per lb., 10 lbs. and over at \$1.00 per lb.

These seeds are all of this season's crop and of the very best quality.

Tree and Shrub Seeds

We issue a special catalogue of these. It will be mailed on application.

Manetti Rose Stocks SPECIAL FLORISTS' GRADE

Especially graded for grafting purposes. They are of a medium size, nicely rooted, and average about one-fifth of an inch—just right for potting in 2½ inch pots. For early orders we quote the following prices:

\$7.50 per 1,000; \$7.00 per 1,000 in lots of 10,000 or over

Place your orders immediately. Stocks will be ready for delivery about the middle of December.

Labels

The following are the kinds mostly used by nurserymen. For 10,000 or more we allow a discount of 10 per cent. 1,000 of $3\frac{1}{2}$ -inch and 100 6-inch in a package. Not less than a full package sold.

31/2-1	inch,	notched,	iron-wired, painted		\$1.00 per 1000
31/2	"	"	copper-wired, painted		1.25 "
6	66	46	painted, but not wired		2.35 "
6	"	"	not painted nor wired		1.75 "

Nursery Book

By Prof. L. H. BAILEY

This is a standard work of reference and is essential to every nursery-man. Thoroughly practical, and describes fully and clearly the processes of budding, grafting, seed-sowing, etc., as well as many other important items of nursery work, with convenient indexes, etc. 365 pages, 162 illustrations.

Price, post-paid, \$1.00



Retinispora pisifera aurea

This photograph of a specimen plant was taken last year. Since then the trees have been sheared again and now they are even more dense than the illustration represents.

We have probably the finest lot of specimen evergreens of certain varieties to be found in this country. The plants have been transplanted and sheared every two years. They are set wide apart in nursery rows and are perfect specimens all around and from the ground to the top of the plant.

When shipping this stock the plants are dug with a large ball of earth and the ball sewed in burlap, and failure in transplanting is almost unknown.

We have these specimens mainly in the following varieties, some of the plants as tall as 10 to 11 feet:

WALES' WEEPING NORWAY SPRUCE

RETINISPORAS IN CREEN, COLDEN and BLUE VARIETIES

ARBOR-VITÆ-AMERICAN, PYRAMIDAL and CEORCE
PEABODY COLDEN

Many other Varieties in Specimens of Smaller Sizes

For varieties, sizes and prices, see Evergreen Section of Catalogue.

MEEHANS' MALLOW MARVELS

RICH, GORGEOUS, HARDY PERENNIAL CREATION

Most Brilliant New Production of Scientific Plant Breeding

BLAZE with their immense, brilliant flowers, our field of Mallow Marvels, when in flower, was a sight to behold. Immense flowers from eight to ten inches in diameter, in fiery crimson, rich blood-red, soft shell-pink and clear snowy white. Their great beauty is indescribable. It seems impossible to reproduce the glorious colors of the flowers and the illustration on the front cover conveys a very poor idea of their actual beauty. They must be seen to be fully appreciated.

Visitors to our nurseries are amazed at the wonderful show. Meehans' Mallow Marvels surpass all other perennials in profuseness of bloom, flowering propensities and brilliancy of color. From late July until October frosts arrive, the flowers continue to appear in profusion.

A hybrid of our own production and brought up to its present point of form, color and beauty by careful seed selection, covering a period of several years.

Absolutely hardy, the Mallow Marvels have been tested and are thriving in Canada and in the mountain portions of the Northern States, as successfully as in Georgia and Florida. Of herbaceous character. They come up year after year and thrive under varied conditions.

Prices for Strong Two-Year-Old Roots

	Each
Crimson Marvel (shades of Crimson)	\$1.50
Red Marvel (shades of Red) .	1.50
White Marvel	1.50
Pink Marvel (shades of Pink) .	1.00